

FARM EQUIPMENT

AG CHEM EQUIPMENT CO. — BLACKWELDER MFG. CO.



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
AG CHEM EQUIPMENT CO.				
Irrigation Equipment				
Rogator 554, 856, Terragator 8103, 1903	700	31(2)	175-4370	175-4390
AGCO-ALLIS, ARGO-STAR, DEUTZ AND DEUTZ				
<i>Formerly "DEUTZ-ALLIS DIV." or "WHITE-NEW IDEA DIV."</i>				
Gleaner Combines				
1987 FR, F2, F3	580	24(2)	153-5656	3T-5857
1986-75 FR, F2, F3, MH2, N5, N6, N7	580	24(2)	153-5656	3T-5857
1995-87 R40, R42, R42A, R50, R52, R53A	580	24(2)	153-5656	3T-5857
1995-87 R60, R62, R62A, R72, R72A, R70	580	24(3)	153-5656	3T-5857
2000-93 R42L, R52L, R62L, R72L	600	24(3)	153-5656	3T-5857
Agco-Allis, Argo-Star, Deutz And Deutz Farm Tractors				
1997-91 4650	470	48	NA	NA
2000-91 4660, 5650, 5660, 5670, 5680, 6670, 6680, 6690	470	49	8C-3605	—
2000-93 8745, 8765, 8775, 8785 9630, 9635, 9650, 9655, 9670, 9735, 9745, 9755, 9765, 9775, 9785	600	24(2)	153-5656	3T-5857
1991-90 6150	490	30H	3T-5760	115-2422
1991-84 6240, 6250, 6260, 6265, 6275, 7085, 7110, 7129	750	4DLT	153-5700 Δ	8C-3622
1997-91 7600	500	49	8C-3605	—
1989-84 7145	880	4EH(2)	8C-3632 ¥	—
1997-91 7630, 7650, 8610, 8630	630	4DLT	153-5700 Δ	8C-3622
2000-95 8360, 8425	700	31(3)	175-4370	175-4390
1993-89 9130, 9150, 9170, 9190	580	24(2)	153-5656	3T-5857
1972-68 D25-06	380	30H	3T-5760	115-2422
1972-68 D90-06	695	4DLT	153-5700 Δ	8C-3622
1986-68 D3006, D3607, D4006, D4506	520	30H	3T-5760	115-2422
1986-81 D4507, D4507A, D5207, D5207A	520	30H	3T-5760	115-2422
Optional	750	4DLT	153-5700 Δ	8C-3622
1980-69 D5206, D5506	520	30H	3T-5760	115-2422
1975-69 D6006	750	4DLT	153-5700 Δ	8C-3622
1983-74 D6206, D6207	520	30H	3T-5760	115-2422
Optional (D6207)	750	4DLT	153-5700 Δ	8C-3622
1986-79 D6507, -A, -C, -CA, D6806, -6807	750	4DLT	153-5700 Δ	8C-3622
1986-74 D7007, -A, -C, -CA, D7206	750	4DLT	153-5700 Δ	8C-3622
1986-70 D7807, -A, -C, -CA, D8006, D10006	750	4DLT	153-5700 Δ	8C-3622
1979-72 D13006	760	4D	153-5700	9X9720
DX & DC Series:				
1984-79 DX90, -90A, -110, -120, -120A	750	4DLT	153-5700 Δ	8C-3622
1984-79 DX130, DC130A, DC140A	810	4EH(2)	8C-3632 ¥	—
1986-79 DX160, -160A, -7.10, -7.10A	810	4EH(2)	8C-3632 ¥	—
1986-85 DX3.10, DX3.10A, DX3.30, DX3.30A, DX3.50, DX350A, DX370, DX3.70A, DX3.90, DX3.90A	750	4DLT	153-5700 Δ	8C-3622
1986-84 DX4.70, DX4.70A, DX6.30, DX6.30A	750	4DLT	153-5700 Δ	8C-3622
1986-84 DX6.50, DX6.50A	750	4DLT	153-5700 Δ	8C-3622
1986-85 DX8.30, INTRAC	750	4DLT(1,2)	153-5700 Δ	8C-3622
Wheel Farm Tractors				
1995-94 6215, 9435, 9455, 9815	600	24(2)	153-5656	3T-5857
1994-91 4650	470	48	NA	NA
1994-91 4660, 5680, 5760, 6065 ROPS, 6065C, 6085	470	49	8C-3605	—
1994-91 6105 (Best fit estimate)	630	4DLT	153-5700 Δ	8C-3622
1995-93 6125, 6145, 6175, 6195, 6124, 6144	600	24(2)	153-5656	3T-5857

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Wheel Farm Tractors (continued)				
1994-91 6670, 6680, 6690, 7600	500	49	8C-3605	—
1994-91 7630, 7650, 8610, 8630 (Best fit estimate)	770	4DLT	153-5700 Δ	8C-3622
1995-93 9630, 9650, 9670, 9690, 9635, 9655, 9675, 9695	600	24(2)	153-5656	3T-5857
ALLIS-CHALMERS & DEUTZ-ALLIS				
<i>Additional equipment is listed in the Industrial Equipment section. Some ratings for older models are based upon 5-1/4 times the 20HR rate.</i>				
Wheel Farm Tractors				
1962-37 B, CA, D10, D12, D14, G, IB	465	1	8C-3617	8T-9734
1968-63 D10, D12	235	22F	3T-5859	9X-1384
1968-60 D15: Gas, Diesel (Front)	340	24	153-5656	3T-5857
1968-63 D15: Diesel (Rear)	340	29NF	3T-5858 π	9X-1382 π
1968-57 D17: Gas	410	24	153-5656	3T-5857
Diesel	570	2(2)	153-5690	8C-3629
1962 D19: Gas	465	1	8C-3617	8T-9734
1964-63 D19: Gas	340	24	153-5656	3T-5857
1964-62 D19: Diesel	610	2(2)	153-5690	8C-3629
1969-63 D21	420	30H (2,4)	3T-5760	115-2422
1967-64 I-40, I-400	235	22F	3T-5859	9X-1384
1966-65 I-60: Gas, Diesel (Front)	340	24	153-5656	3T-5857
1966-65 I-60: Diesel (Rear)	340	29NF	3T-5858 π	9X-1382 π
1967-66 I-600: Gas, Diesel (Front)	340	24	153-5656	3T-5857
1967-66 I-600: Diesel (Rear)	340	29NF	3T-5858 π	9X-1382 π
1974-67 160, 170: Diesel	420	30H	3T-5760	115-2422
1974-67 170: Gas	340	24	153-5656	3T-5857
1981-67 175, 180, 185: Diesel	580	30H(1,2)	3T-5760	115-2422
1972-64 190: Gas, Diesel, LPG	420	30H(1,2)	3T-5760	115-2422
1957-47 WD, WD-45	465	1(1,2)	8C-3617	8T-9734
1975-69 200, 210, 220: Diesel	420	30H(1,2,4)	3T-5760	115-2422
1976-72 440: Diesel	945	8D(2)	153-5720	101-4000
1985-77 5015, 5020, 5030	305	24F	3T-5858	9X-1382
1985-75 5040, 5050: Diesel	580	30H(1,2)	3T-5760	115-2422
1985-82 6040, 6060, 6070, 6080, 6140: Diesel	580	30H	3T-5760	115-2422
1981-73 7000, 7010, 7020, 7030, 7040, 7050: Diesel	580	30H(1,2)	3T-5760	115-2422
1981-75 7045, 7060, 7080, 7580: Diesel	420	30H(2,4)	3T-5760	115-2422
1981-77 8550: Diesel	580	30H(4)	3T-5760	115-2422
1985-82 8010, 8030, 8050, 8070: Diesel	420	30H(2)	3T-5760	115-2422
Optional	625	31(2)	175-4370	175-4390
1985-82 4W-220: Diesel, 4W-305: Diesel	625	31(2,4)	175-4370	175-4390
AVCO NEW IDEA				
See "WHITE-NEW IDEA"				
BLACKWELDER MFG. CO.				
<i>In the absence of a cranking performance specification supplied by the original equipment vehicle manufacturer, the rating shown is based upon battery industry consensus.</i>				
Tomato Harvester				
1976-75 Diesel: 6-volt	570	2	153-5690	8C-3629
Diesel: 12-volt	460	12T	153-5656	3T-5857

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
CASE INTERNATIONAL & J.I. CASE				
INTERNATIONAL HARVESTER				
<i>Additional equipment is listed in the Industrial Equipment and Lawn & Garden Tractor sections. In the absence of a cranking performance specification supplied by the original equipment vehicle manufacturer, the rating shown is based upon battery industry consensus.</i>				
Combines				
2000-95 2144, 2166, 2188	950	31(2)	115-2422	175-4390
1986-77 1420, 1440, 1460, 1470 Hillside	520	24(2)	153-5656	3T-5857
1986-77 1460 Rice, 1480	520	24(2)	153-5656	3T-5857
1993-85 1620, 1640, 1660, 1670, 1680	950	31(2)	115-2422	175-4390
1991-85 1682 Pull	625	31	115-2422	175-4370
2000-98 4260	950	31	115-2422	175-4390
Cotton Harvesters				
1986-81 1400	470	24(2)	153-5656	3T-5857
Cotton Pickers				
2000-95 2555, 2155	700	31(2)	175-4370	175-4390
1986-81 782	470	24(2)	153-5656	3T-5857
1993-85 1822, 1844, 2022, 2044, 2055	700	31(2)	175-4370	175-4390
Hay & Forage Harvesters				
1991-75 4000, 5000	625	31	175-4370	175-4390
1993-88 8830: Gas	420	24F	3T-5858	9X-1382
1993-88 8830: Diesel, 8840	600	24F(2)	3T-5858	9X-1382
Sprayer				
2000-98 4260	950	31(2)	175-4390	—
Wheel Tractors				
2000-98 C & CX Series: C50, C60, CX50, CX60	650	31P	3T-5760	115-2422
CX80, C90, C100, CX100, CX90	650	31P	3T-5760	115-2422
2000-98 MX Series: MX80, MX90, MX100	760	31	175-4370	175-4390
MX100, MX120, MX135	1000	31P	115-2422	115-2421
MX110, MX1520, MX170	1000	31P(2)	115-2422	115-2421
MX180, MX200, MX220	1000	31P(2)	115-2422	115-2421
1969-62 Comfort King Series: 430, 530	460	1(2)	8C-3617	8T-9734
440, 540	290	24	153-5656	3T-5857
730, 730C, 830, 930C, 940	645	4(2)	8C-3633	8T-9733
740, 740C, 840, 840C	370	27	153-5656	8C-3601
1030	570	30H(2)	3T-5760	115-2422
930	875	7D(2)	8C-3635	8T-9731
1964-47 Cub, Cub Lo-Boy	550	1	8C-3617	8T-9734
1968-65 Cub, Cub Lo-Boy	250	20H	8C-3600 π	—
1968-62 Cub Cadet	160	U1	8C-3636	—
1954-47 A, AV, A-1, AV-1, Super C, Super H, HV	550	1	8C-3617	8T-9734
1955-41 D, DC, DI, DO, DS, DV, ID-6	525	2(1,2)	153-5690	8C-3629
1954-41 I-A, I-4	550	1	8C-3617	8T-9734
1953-41 I-6	600	3	153-5690	8C-3630
1955-41 I-9, LA, LAH, LAI	645	4	8C-3633	8T-9733
1952 Super MD, MDV	525	2(2)	153-5690	8C-3629
1953 Super MD, MDV	370	27	153-5656	8C-3601
1954 Super M-TA, M-TAV	600	3	153-5690	8C-3630
1954 Super M-TAD, M-TADV, W-6TAD	370	27	153-5656	8C-3601
1964-41 "S" Series, "V" Series, W-3D, Super W-4	550	1	8C-3617	8T-9734
1965-59 W-3G, -5G, -5D, -5AD, -5AG	315	24	153-5656	3T-5857
1954-52 Super W-6, W-6TA	600	3	153-5690	8C-3630
1959-52 Super WD-6, 200B	525	2(1,2)	153-5690	8C-3629
1964-60 W-3D	440	1(2)	8C-3617	8T-9734
1965-59 W-3G, W-5G, W-5D, W-5AD, W-5AG	315	24	153-5656	3T-5857
1965-59 W-7G, W-9AG, W-9G	370	27	153-5656	8C-3601

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Wheel Tractors (continued)				
1965-41 W-7D, -9AD (1964-63), -9, WR-9, WR-9S	645	4(1,2)	8C-3633	8T-9733
1965-59 W-9AD, -9D, -9BD, -9BG, -10D, -12D	570	30H(1,2)	3T-5760	115-2422
1955-41 WD-9, WDR-9: Incl. Super models	600	3(2)	153-5690	8C-3630
1980-75 Hydro 70, Hydro 86	470	24	153-5656	3T-5857
1976-75 Optional	600	2(2)	153-5690	8C-3629
1986-79 Hydro 84	605	27	153-5656	8C-3601
1976-75 Hydro 100	850	4EH(2)	8C-3632 ¥	—
1964-55 100, 100HC, 130, 130HC, 140, 140HC	600	1	8C-3617	8T-9734
1976-65 140, 140HC	235	20H	8C-3600 π	—
1993-75 184, 185, 235	245	22NF	3T-5859 ∞	9X-1384 ∞
1981-77 Hydro 186	470	24	153-5656	3T-5857
1971-55 200, 230, 210B, 211B, 240, 240 Utility, 340	550	1	8C-3617	8T-9734
1986-82 234, 244, 254	600	24	153-5656	3T-5857
1993-87 245, 255, 265, 275	310	24	153-5656	3T-5857
1987-78 274, 284, 360B, 384	605	27	153-5656	8C-3601
1959-55 300, 300B, 300 Utility, 301B, 310B, 330 Utility	550	1(1,2)	8C-3617	8T-9734
1961-55 300, 300HC: LPG, 340D, 340D Utility	370	27	153-5656	8C-3601
1961-58 311B, 320: Gas, Diesel (1960-59)	300	24	153-5656	3T-5857
1961-58 320, 320B: Diesel, 320G, 340 Series	550	1(1,2)	8C-3617	8T-9734
1957 350 Series: all models	370	24	153-5656	3T-5857
1977-76 364	455	30H	3T-5760	115-2422
1993-86 385, 395	625	30H	3T-5760	115-2422
1957-55 400: Gas	600	1	8C-3617	8T-9734
Diesel	645	4(2)	8C-3633	8T-9733
1956-55 Farmall 400, 400HC, W-400: Gas	600	3	153-5690	8C-3630
LPG, Diesel: W400, W400D, W400DHC	370	27	153-5656	8C-3601
1968-62 404	245	22NF	3T-5859 ∞	9X-1384 ∞
1957-55 410, 411, 412, 413, 414, 425	645	4	8C-3633	8T-9733
1962-55 410B, 411B, 420, 420B, -BD, -C, M420	300	24	153-5656	3T-5857
1968-62 B414: Diesel	440	1(2)	8C-3617	8T-9734
1968-66 424, 444: Gas	245	22NF	3T-5859 ∞	9X-1384 ∞
1968-66 424, 444: Diesel	390	30H	3T-5760	115-2422
1986-57 425, 484	605	27	153-5656	8C-3601
1969-60 430, 431	440	1(2)	8C-3617	8T-9734
1968-60 440, 441; B414: Gas	290	24	153-5656	3T-5857
1957 450 Models: ex below	370	27	153-5656	8C-3601
International W-450	600	3	153-5690	8C-3630
1977-62 454, 464, 504, 504LPG, 574	245	22NF	3T-5859 ∞	9X-1384 ∞
1962-58 460; 460HC, 460 Utility (Gas, LPG)	315	24	153-5656	3T-5857
1962-58 460D, 460D Utility, 460DHC	440	1(2)	8C-3617	8T-9734
1993-86 485, 495	650	30H	3T-5760	115-2422
1960-53 500, 520	875	7D	8C-3635	8T-9731
1959-58 500B, 510B, 511B	300	24	153-5656	3T-5857
1968-62 504D	390	30H	3T-5760	115-2422
1965-60 530, 530C, 530SL Diesel, 531, 531C	290	1(2)	8C-3617	8T-9734
1965-62 530SL, 540, 540C, 541, 541C	290	24	153-5656	3T-5857
1962-59 544B, 644C	300	29NF	3T-5858 π	9X-1382 π
1962-58 560, 560HC: Gas, LPG	315	24	153-5656	3T-5857
1977-58 560D, 574 H.S., 606D	620	2(2)	153-5690	8C-3629
1986-79 584	605	27	153-5656	8C-3601
1956 International 600	370	27	153-5656	8C-3601
1956 International 600D	600	3(2)	153-5690	8C-3630
1959-56 600, 610, 620	875	7D(2)	8C-3635	8T-9731
1968-58 600B, 606, 606LPG, 610B, 611B, 614B	300	24	153-5656	3T-5857
1964-60 630, 630C, 631, 631C, 632, 632C, 634, 634C	440	1(2)	8C-3617	8T-9734
1964-60 640, 640C, 641, 641C, 642, 642C	290	24	153-5656	3T-5857
1961-57 650, 650LPG	370	27	153-5656	8C-3601
1961-57 650D	580	3(2)	153-5690	8C-3630
1968-66 656: Gas	290	24	153-5656	3T-5857
1968-59 656: Diesel, 660D	580	3(2)	153-5690	8C-3630
1962-59 660, 660LPG	315	24	153-5656	3T-5857
1979-66 666, 686	470	24	153-5656	3T-5857

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

Refer to page 67 for explanation of Farm Equipment replacement footnotes.

FARM EQUIPMENT

CASE INTERNATIONAL & J.I. CASE — DEERE, JOHN



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Wheel Tractors (continued)				
1977-66 666 H.S.	650	2(2)	153-5690	8C-3629
1977-76 674	245	22NF	3T-5859 ∞	9X-1384 ∞
1986-69 684, 770, 784	605	27	153-5656	8C-3601
1993-86 685, 695, 785, 795	625	30H	3T-5760	115-2422
1965-57 700, 701, 702, 703, 705, 730, 730C, 731, 731C, 732, 732C, 733, 733C	645	4(2)	8C-3633	8T-9733
1968-63 706, 706LPG, 806, 806LPG	320	3EE	8C-3620	—
1974-63 706D, 756	590	2E(2)	8C-3632 Δ	—
1959-57 710, 711, 712, 713, 715	390	27	153-5656	8C-3601
1965-60 740, 740C, 741, 741C, 742, 742C, 743, 743C	370	27	153-5656	8C-3601
1979-63 766, 806D	810	3EH(1,2)	8C-3632	—
1981-80 786	625	2(2)	153-5690	8C-3629
1959-57 800, 801, 802, 803, 805	645	4(2)	8C-3633	8T-9733
1959-57 810, 811, 812, 813	370	27	153-5656	8C-3601
1965-60 830, 830C, 831, 831C, 832, 832C, 833, 833C	645	4(2)	8C-3633	8T-9733
1965-60 840, 840C, 841, 841C, 842, 842C, 843, 843C	370	27	153-5656	8C-3601
1968-67 856: Gas, LPG	320	3EE	8C-3620	—
1968-67 856: Diesel	850	4EH(2)	8C-3632 ¥	—
1976-69 870	545	30H(2)	3T-5760	115-2422
1983-80 884	480	27	153-5656	8C-3601
1993-72 885, 895	650	30H	3T-5760	115-2422
1981-77 886	470	24(2)	153-5656	3T-5857
1962-57 900, 920, 930 (& Draftomatic)	875	7D(2)	8C-3635	8T-9731
1962-57 910, 940 (& Draftomatic)	645	4(2)	8C-3633	8T-9733
1979-74 966, 966HS, 1066HS, 1066	810	4EH(2)	8C-3632	—
1978-69 970: Diesel	545	30H(2)	3T-5760	115-2422
1971-69 970: Spark Ignition	370	27	153-5656	8C-3601
1981-77 986, 1086, 1486, 1586	470	24(2)	153-5656	3T-5857
1993-72 985, 990, 995, 996	625	30H	3T-5760	115-2422
1985-71 1175, 1190, 1194, 1290, 1390, 1490, 1690	545	30H	3T-5760	115-2422
1978-64 1070, 1200 4x4	545	30H(2)	3T-5760	115-2422
1977-66 1206, 1256, 1466, 1468	740	3EH(2)	8C-3632	—
1986-71 1210, 1212, 1270, 1294, 1370, 1394, 1410, 1412	545	30H(1,2)	3T-5760	115-2422
1986-69 1470 4x4, 1494, 1570, 1594, 2090, 2094, 2290	545	30H(2)	3T-5760	115-2422
1976-75 1568	830	3EH(2)	8C-3632	—
1991-78 1896, 2090, 2096, 2290, 2390, 2590	625	31(2)	175-4370	175-4390
1993-87 2120, 2130, 2140, 2150	440	48	8C-3605	—
1986-71 2294, 2296, 2390, 2590, 2394, 2470, 2594	525	30H(2)	3T-5760	115-2422
1964-62 2404, 2404LPG, 2504, 2504LPG	245	22NF	3T-5859 ∞	9X-1384 ∞
1964-62 2504D, 2606: Diesel	620	2(2)	153-5690	8C-3629
1964-62 2606: Gas, LPG	315	24	153-5656	3T-5857
1964-62 2606D, 2706, 2806, 3414	320	3EE	8C-3620	—
1986-74 2670, 2870, 3294, 3394, 3594	525	30H(2)	3T-5760	115-2422
1964-63 2706D	590	2E(2)	8C-3632 Δ	—
1964-63 2806D	740	3EH(2)	8C-3632	—
1985-84 3088, 3288, 3488	500	28(2)	153-5656 ≠	3T-5857 ≠
1984-80 3088, 3288, 3488, 3688	520	24(2)	153-5656	3T-5857
1981-77 3388, 3588, 3788, 4386	625	31(2)	175-4370	175-4390
1962 3414D	415	3ET	8C-3620	—
1985-84 3688	500	28(2)	153-5656 ≠	3T-5857 ≠
1981-67 4100, 4156, 4166, 4186, 4366	810	4EH(2)	8C-3632	—
1986-79 4490, 4494, 4690, 4694, 4890	525	30H(2)	3T-5760	115-2422
1981-74 4568, 4586, 4786	625	31(3)	175-4370	175-4390
1986-84 4894, 4994	525	30H(2)	3T-5760	115-2422
1985-84 5088, 5288, 5488	500	28(2)	153-5656 ≠	3T-5857 ≠
1984-80 5088, 5288, 5488	520	24(2)	153-5656	3T-5857
2000-89 5120, 5130, 5140, 5220, 5230, 5240, 5250	685	30H(1,2)	3T-5760	115-2422
1984-80 6366, 6586, 6786, 7386, 7388, 7588, 7788	625	31(2,4)	175-4370	175-4390
1993-87 7110, 7120, 7130, 7140, 7150	950	31(2)	175-4390	—
1990-87 9110, 9130, 9150, 9170, 9180	625	31(2)	175-4370	175-4390

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Wheel Tractors (continued)				
1993-90 9210, 9230, 9240, 9250, 9260, 9270, 9280	625	31(3)	175-4370	175-4390
2000-96 9310, 9330, 9350, 9370, 9380	660	31P(2)	3T-5760	115-2422
Windrower				
2000-98 8870, 8880	500	24	153-5656	3T-5857
CASE, J.I.				
See "CASE INTERNATIONAL"				
CATERPILLAR				
See separate "CATERPILLAR" section, pp. 5-13.				
COE, INC.				
Harvester				
L3 Receiver, Bin Carrier	750	31P	3T-5760	115-2422
COMPTON ENTERPRISES				
Shakers				
All Models	675	27	153-5656	8C-3601
CO-OP COCKSHUTT				
Wheel Tractors				
1957-48 All Gas engines	450	1	8C-3617	8T-9734
Diesel engines	800	4(2)	8C-3633	8T-9733
1962-58 540: 6-volt	450	1	8C-3617	8T-9734
12-volt	320	24	153-5656	3T-5857
1962-58 550, 560, 570: Diesel	800	4(2)	8C-3633	8T-9733
Gas engines	320	24	153-5656	3T-5857
DEERE, JOHN				
<i>Additional equipment is listed in the Industrial Equipment and Lawn & Garden Tractor sections.</i>				
Air Seeder, Air Drill				
1987-81 665, 780, 785	500	24	153-5656	3T-5857
Balers				
1978-75 336, 346	385	24	153-5656	3T-5857
Bunker Rake				
1993-90 1200	330	22F	3T-5859	9X-1384
Combines				
1976-75 Diesel	485	30H	3T-5760	115-2422
1983-75 6600, 7700: Diesel; 4400, 4420	430	3ET(2)	8C-3620	—
1985-84 4420, 3300 Gas	550	24	153-5656	3T-5857
1991-86 4400, 4425, 6600, 6602 Gas, 3300 Diesel	545	30H	3T-5760	115-2422
1992-89 4425 (requires DIN size 72311)	610	NA	—	—
1979-75 6600: Sidehill, 6602: Diesel	430	3ET(2)	8C-3620	—
1991-79 6620; 6620, 6622: Sidehill	500	24(2)	153-5656	3T-5857
1979-75 7700: Gas	430	3ET(2)	8C-3620	—
1991-79 7720, 8820, 7722: Hillside	500	24(2)	153-5656	3T-5857
1997-89 9400, 9500, 9600, CTS	620	27(2)	153-5656	8C-3601
1992-89 4435	610	49	8C-3605	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Cotton Picker				
2000-98 6850	650	31P(2)	3T-5760	115-2422
1997-89 9600	620	27(2)	153-5656	8C-3601
1977-75 9900	475	30H	3T-5760	115-2422
1986-78 9910, 9920, 9940	700	31(1,2)	175-4370	175-4390
1994-87 9930, 9950	625	31(SAE)	3T-5760	115-2422
Optional	925	31	175-4390	---
1997-94 9935	950	31	175-4390	---
1998-89 9960, 9965	925	31(2)	175-4390	---
9960, 9965	925	31(2)	175-4390	---
2000-94 9970, 9976	950	31(2)	175-4390	---
Cotton Stripper				
1976-75 482, 484	525	30H	3T-5760	115-2422
1977 484	500	24	153-5656	3T-5857
1986-78 484, 7740	625	31	175-4370	175-4390
2000-94 7445, 7455	625	31(SAE)	3T-5760	115-2422
Optional	925	31	175-4390	---
2000-95 7450, 7455	925	31	175-4390	---
1998-95 7740, 7745	925	31	175-4390	---
Forage Harvesters				
1980-75 5200, 5400, 5440, 5460	875	7D(2)	8C-3635	8T-9731
1986-81 5720, 5820	700	31(2)	175-4370	175-4390
1998-85 5730, 5830	625	31(2)(SAE)	3T-5760	115-2422
2000-93 6610, 6710, 6810, 6910	610	49(2,3)	8C-3605	---
Greensmower				
1993-89 2243	250	U1	8C-3636	---
Hay Cuber				
1982-75 425	900	8D	153-5720	101-4000
Hy-Cycle (Sprayer)				
1998-94 4700	650	27(2)	153-5656	8C-3601
1998-77 6000	420	24	153-5656	3T-5857
Optional	530	24	153-5656	3T-5857
Optional	550	24	153-5656	3T-5857
2000-92 6100	650	27	153-5656	8C-3601
2000-92 6500, 6600	620	27	153-5656	8C-3601
Pump				
2000-95 6068T15Q	625	30H	3T-5760	115-2422
Tractors - Compact Utility				
650	420	24(2)	153-5656	3T-5857
670	460	45	---	---
750, 770	420	24	153-5656	3T-5857
850, 950, 970, 1050, 900HC	525	30H	3T-5760	115-2422
655, 755	425	22F	3T-5859	9X-1384
855 to S.N. 615000	425	22F	3T-5859	9X-1384
855 to S.N. 615001, 955	460	45	---	---
970, 1070	625	30H	3T-5760	115-2422
1954-47 A, AH, AN, AO, AR, AW	520	1(2)	8C-3617	8T-9734
1955-49 D, G, GH, GN, GW, R	520	1(1,2)	8C-3617	8T-9734
1970-65 JD-300, -400, -440, -480	370	24	153-5656	3T-5857
1970-64 JD-500, -500A, -500B, -600: Gas	375	3ET(1,2)	8C-3620	---
Diesel	740	3EH(2)	8C-3632	---
1970-65 JD-540, -544, -644	525	30H(2)	3T-5760	115-2422
1970-68 JD-570, -690	740	3EH(2)	8C-3632	---
1968-65 JD-700, -760 Diesel	520	1(4)	8C-3617	8T-9734
1970-68 JD-700, -760A	875	7D(2)	8C-3635	8T-9731

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Tractors - Wheel Type				
1970-69 JD-860	850	4D(2)	153-5700	9X9720
1955-49 40, 50, 60, 70 Series: All models	520	1(1,2)	8C-3617	8T-9734
1960-57 300 Series: All models	520	1	8C-3617	8T-9734
1959-56 420H thru 430W, 440I, 440IC	520	1	8C-3617	8T-9734
1960-58 435, 440: Diesel	525	30H	3T-5760	115-2422
1960-56 500, 600, 700, 800 Series: All models	520	1(1,2,4)	8C-3617	8T-9734
1987-73 650, 750, 820, 830 Electric Start, 920, 1120, 2120	550	24(1,2)	153-5656	3T-5857
655, 755, 855	490	22F	3T-5859	9X-1384
2000-97 790	460	45	---	---
1987-77 850, 950	475	30H	3T-5760	115-2422
1965-60 1010: Gas, LPG	370	24	153-5656	3T-5857
1965-60 Diesel	475	30H	3T-5760	115-2422
1010 Special, 830, 1530 Gas	550	24	153-5656	3T-5857
1973-66 1020, 1520: Gas, Diesel	370	24(1,2)	153-5656	3T-5857
1993-79 1050, 1250, 1450, 1650	550	30H	3T-5760	115-2422
1975-73 1530: Diesel, 2030: Diesel	370	24(2)	153-5656	3T-5857
1630, 1640, 1830, 1840 (w/o SGB)	600	47	8C-3605 π ≠	145-4518 ≠
1630, 1640, 1830, 1840, 2130, 2140 (w/ SGB)	550	24	153-5656	3T-5857
1963-60 2010: Gas, LPG	370	24	153-5656	3T-5857
1965-60 2010: Gas, LPG, Diesel	475	30H	3T-5760	115-2422
1971-66 2020, 2030: Gas, Diesel (req. 2 batts.)	370	24(1,2)	153-5656	3T-5857
1987-75 2040, 2240, 2350, 2550, 2750	370	24(1,2)	153-5656	3T-5857
2120	420	24(2)	153-5656	3T-5857
1987-82 2150, 2250, 2255	370	22F(2)	3T-5859	9X-1384
1993-87 2155, 2-447	475	30H	3T-5760	115-2422
2440, 2330, 2020, 1530, 1520, 1020, 830 (Diesel & Gas) (Opt.)	550	24	153-5656	3T-5857
2030, 2020, 1530, 1520, 1020, 830 (Diesel) (Opt.)	550	24	153-5656	3T-5857
2350, 2550, 2750 (Open Platform)	600	47	8C-3605 π ≠	145-4518 ≠
2350, 2550, 2750 (SGB)	550	24	153-5656	3T-5857
1993-88 2355, 2355N, 2555, 2755, 2855, 2855N	600	47(2)	8C-3605 π ≠	145-4518 ≠
1987 2355, 2355N, 2555, 2755, 2855N	370	24(2)	153-5656	3T-5857
1983-73 2440, 2630, 2640: Diesel	370	24(2)	153-5656	3T-5857
1968-65 2510: Gas, Diesel (req. 2 batts.)	320	3EE(1,2)	8C-3620	---
2510, 2520, 3010 LPG	460	3ET	8C-3620	---
1972-68 2520: Gas, 3010: Diesel	460	3ET	8C-3620	---
1972-68 2520, 3010: Diesel	850	3EH(2)	8C-3632 Y	---
2630, 2640 (Single Batteries)	625	30H	3T-5760	115-2422
2755 (w/ SGB)	470	48	NA	NA
1983-77 2840; 2940: Diesel	475	30H(2)	3T-5760	115-2422
1993-82 2950, 2955, 3155	475	30H(2)	3T-5760	115-2422
1963-60 3010	375	3ET	8C-3620	---
1972-63 3020: Gas, LPG	375	3ET	8C-3620	---
1968-63 3020: Diesel	320	3EE(2)	8C-3620	---
1987-85 3150, 3155	525	30H(2)	3T-5760	115-2422
1972-68 4000: Gas	375	3ET	8C-3620	---
1972-68 4000: Diesel	740	3EH(2)	8C-3632	---
1963-60 4010: Gas, LPG, Diesel (req. 2 batts.)	375	3ET(1,2)	8C-3620	---
1968-64 4020: Gas, LPG	320	3EE	8C-3620	---
1972-69 4020: Gas, LPG	375	3ET	8C-3620	---
1968-63 4020: Diesel	320	3EE(2)	8C-3620	---
1972-69 4020: Diesel	740	3EH(2)	8C-3632	---
1977-72 4030, 4040, 4230, 4240, 4430, 4440, 4630	850	5D(2)	8C-3633	8T-9733 Y
4030, 4230: Gas	525	30H	3T-5760	115-2422
1988-77 4050, 4250, 4550, 4640, 4650, 4840, 4850	850	5D(2)	8C-3633	8T-9733 Y
2000-96 4100, 4300	425	22F	3T-5859	9X-1384
1988-87 Export models	430	31(2)	175-4370	175-4390
1993-88 4055, 4255, 4455, 4555, 4755, 4955, 4960	950	31(2)	175-4390	---
4450: Diesel	850	5D	8C-3633	8T-9733 Y

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

FARM EQUIPMENT

DEERE, JOHN — FORD NEW HOLLAND



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Tractors - Wheel Type (continued)				
1972-68 4320, 4520, 4620: Diesel	740	3EH(2)	8C-3632	—
2000-96 4500 Diesel	650	27F	8C-3602	9X-1382
1993-91 4560, 4760	950	31(2)	175-4390	—
1968-62 5010, 5020: Diesel (before 24999)	520	1(4)	8C-3617	8T-9734
5010, 5020: Diesel (after 24999)	975	7D	8C-3635	8T-9731
1977-69 5020: 6030, 7520: Diesel	875	7D(2)	8C-3635	8T-9731
2000-98 5210, 5310, 5410, 5510	700	31	175-4370	175-4390
1997-91 5200, 5300, 5400, 5500	700	31	175-4370	175-4390
1998-92 6200	950	31	175-4390	—
1998-92 6300, 6400, 6500	420	31(2)	175-4370	175-4390
1974-71 7020: Diesel	800	5D(2)	8C-3633	8T-9733
2000-93 7200, 7400, 7405, 7410	950	31P(2)	115-2422	115-2421
7520 Diesel	935	7D(2)	8C-3635	8T-9731
2000-92 7600, 7700, 7710, 7800, 7810	950	31P(2)	115-2422	115-2421
1965-60 8010	860	8D(2)	153-5720	101-4000
2000-92 8100, 8200, 8300, 8400	950	31P(2)	115-2422	115-2421
1978-74 8430: Diesel	850	5D(2)	8C-3633	8T-9733
1988-78 8440, 8450	850	5D(2)	8C-3633	8T-9733
8440: Diesel	975	4	8C-3633	—
1998-88 8560, 8570, 8770, 8870, 8970	950	31(2,3)	175-4390	—
1978-74 8630: Diesel	875	7D(2)	8C-3635	8T-9731
1977-76 8630: Diesel	975	4(2)	8C-3633	—
1988-78 8640, 8650	975	4(2)	8C-3633	—
1993-82 8760, 8850 Diesel, 8960	950	31(2,3)	175-4390	—
2000-97 9300, 9400	925	31P	115-2422	115-2421
2000-92 6500-6600	650	27	153-5656	8C-3601
Turf Mowers				
1992-86 756, 856, 2243	425	22F	3T-5859	9X-1384
1993 2653	295	U1	8C-3636 ¥	—
1995-90 3325, 3365	600	24F	3T-5858	9X-1382
1989-88 3325, 3365	750	31	175-4370	175-4390
Utility Vehicles				
1992-86 1500	425	22F	3T-5859	9X-1384
1993-92 1800	460	45	—	—
Vacuums				
1992-89 141, 142, 151, 152, 161, 162	425	22F	3T-5859	9X-1384
Windrowers - Self-Propelled				
1984-75 800, 830, 880	420	24	153-5656	3T-5857
1984-75 2250, 2270, 2280, 2320, 2360, 2420	420	24	153-5656	3T-5857
1993-88 3430, 3830	700	31	175-4370	175-4390
1988-85 3430, 3830	385	24	153-5656	3T-5857
2000-94 4890	535	24	153-5656	3T-5857
DEUTZ-ALLIS DIVISION				
AGCO CORPORATION See also "AGCO-ALLIS" or "ALLIS-CHALMERS"				
DW SPRAYERS CO.				
Sprayers				
AF500E	500	70	156-5660 Ω	7X-6100
AF500T, AF500C3	450	24(1,2)	153-5656	3T-5857
1987-80 2320, 2330, 2360	420	24	153-5656	3T-5857
EDWARDS EQUIPMENT CO.				
Dyna-Soar				
1994-75 DS4100	300	24	153-5656	3T-5857

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Dyna-Scat				
1980-78 SP6900	300	24	153-5656	3T-5857
1994-86 SP6900: Diesel	525	24	153-5656	3T-5857
FERGUSON				
See "MASSEY-FERGUSON"				
FIAT TRACTORS/FIATAGRI				
See also "HESSTON CORPORATION"				
Crawlers				
1994-83 60-75V, 60-85V, 665C	625	30H	3T-5760	115-2422
1994-89 70-75C, 70-75M, 72-85C, 72-85 80-75C, 82-85C	820	4DLT	153-5700 Δ	8C-3622
Tractors				
1994-85 45-66DT, 45-66DTS, 45-66S, 55-56DT, 55-76DTF, 55-76F, 55-86DTF, 55-86F, 60-66DT, 60-66DTS, 60-66S, 60-76DTF, 62-86DTF, 62-86F	625	30H	3T-5760	115-2422
1994-80 65-56DT, 70-66DT, 70-66DTHC, 70-66DTHCS, 70-66DTS, 70-66HC, 70-66HCS, 70-66S, 72-86DTF, 72-86F, 766, 780, 80-66DT, 80-66DTHC, 80-66DTHCS, 80-66DTS, 80-66S, 80-66HC, 80-66HCS, 80-90DT, 82-86DTF, 82-86F, 82-94, 82-94DT, 100-94DT	820	4DLT	153-5700 Δ	8C-3622
1994-85 140-90DTPS, 160-90DTPS, 160-92DTPS, 180-94DTPS	935	4D	153-5700	9X9720
1994-90 F110, F110DT, F130, F130DT	935	4D	153-5700	9X9720
FLORY CORPORATION				
Harvesters				
480, 7480	675	27	153-5656	8C-3601
Sweepers				
6670, 7070, 7670, 8070, 8670	675	27	153-5656	8C-3601
FMC CORPORATION				
Harvesters				
5750TE (tomato)	600	30H(2)	3T-5760	115-2422
9070FBS (cucumber)	925	31P	3T-5760	115-2422
FORD				
See "FORD NEW HOLLAND"				
FORD NEW HOLLAND				
Formerly "FORD," "NEW HOLLAND" & "SPERRY NEW HOLLAND" See also "VERSATILE FARM EQUIPMENT" Additional equipment is listed in the Industrial Equipment section.				
Automatic Bale Wagon				
1977-75 1048, 1049, 1065	370	24	153-5656	3T-5857
1983-78 1068, 1069, 1075: Gas	370	24	153-5656	3T-5857
1988-80 1068, 1069, 1075: Diesel	370	24(2)	153-5656	3T-5857
1994-89 1078, 1079, 1085	925	31	175-4390	—
1989-81 1078, 1079, 1085, 8500	370	24(2)	153-5656	3T-5857

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Combines				
1993-85 TR86, TR96	625	31(2)	175-4370	175-4390
Forage Harvesters				
1993-80 1900, 1915, 2100, 2115	630	30H(2,4)	3T-5760	115-2422
Leaf Loader				
1993-88 710	625	31	175-4370	175-4390
Square Balers				
1986-83 426	375	24	153-5656	3T-5857
1993-83 505	460	30H	3T-5760	115-2422
Wheel Tractors				
1964-47 4-cyl. Gas	440	1	8C-3617	8T-9734
1964-57 Fordson Dextra	525	12T	153-5656 Ω	3T-5857 Ω
1964-54 Diesel ex. Fordson	540	16TF	—	—
1994-87 846, 876, 946, 976	625	31(3,4)	175-4370	175-4390
1997-73 1000, 1100, 1110, 1210, 1320, 1520, 1720	370	24	153-5656	3T-5857
1997-88 1120, 1220	420	24	153-5656	3T-5857
1988-79 1300, 1310, 1500, 1510, 1700, 1710	400	27	153-5656	8C-3601
1979-76 1600	440	27	153-5656	8C-3601
1997-79 1900, 1910, 1920, 2110, 2120	580	30H	3T-5760	115-2422
1973-65 2000, 2110, 3000, 4000, 4110: Gas	510	17TF	—	—
1973-65 2000, 2110, 3000, 4000, 4110: Diesel	750	4DLT	153-5700 Δ	8C-3622
1994-81 2810, 2910, 3910, 4110, 4610, 4610SU	750	4DLT	153-5700 Δ	8C-3622
2000-98 3010, 7610, 8010, 5610, 5900, 6610	550	30H	3T-5760	115-2422
1997-89 3220, 3230, 3430, 3930, 4630	800	31	—	175-4390
1994-63 5000, 5600, 6600, 7600, 5610, 6610, 7610	750	4DLT	153-5700 Δ	8C-3622
1996-84 5900, 5610, 6610, 7610	750	4DLT	153-5700 Δ	8C-3622
1996-92 5640, 6640, 7740, 7840, 8240, 8340	800	31	—	175-4390
1994-76 5700, 6700, 7700	750	4DLT	153-5700 Δ	8C-3622
1968-61 6000: Gas, LPG	500	24F	3T-5858	9X-1382
1968-62 6000: Diesel	540	16TF	—	—
1994-71 6710, 7000, 7710, 7810, 8210	750	4DLT	153-5700 Δ	8C-3622
1996-92 7740, 7840, 8240, 8340	800	31	175-4370	175-4390
1973-68 8000, 9000: Diesel	750	4DLT	153-5700 Δ	8C-3622
1979-75 8600, 8700, 9600, 9700	750	4DLT	153-5700 Δ	8C-3622
1994-77 9030, FW20, FW30, FW40, FW60	625	31(2,4)	175-4370	175-4390
2000-98 9482, 9782	750	31(3)	175-4370	175-4390
1994-88 LGT14D	345	60	—	—
2000-98 TS100	800	31	175-4370	175-4390
1994-79 TWS, -10, -15, -20, -25, -30, -35	750	4DLT	153-5700 Δ	8C-3622
1994 8670, 8770, 8870, 8970 (spl. Euro. size req.)	1900	∞ NA	—	—
1994 9280, 9480	625	31(3)	175-4370	175-4390
1994 9680, 9880	950	31(3)	175-4390	—
Windrowers				
1987-76 1100, 1116	450	27F	8C-3602	143-4084
1993-87 1118, 1499	625	31	175-4370	175-4390
2000-98 HW300, HW320, HW340	925	31	175-4390	—
FWD-WAGNER				
RAYGO-WAGNER				
Wheel Tractors				
1968-59 WA-4A thru WA-9, WA-17, WI-9, -14, -17, -24	950	8D(1,2)	153-5720	101-4000
1968-59 WA-14, WA-17 (thru 1965), WI-14, -17, -24	800	4D(2)	153-5700	9X9720

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
GEHL BROS.				
Self-Propelled Forage Harvesters				
1967-64 SP-83, -84: Continental	315	3EE	8C-3620	—
After S.N. 1238	900	8D	153-5720	101-4000
Oliver	525	2E(2)	8C-3632 Δ	—
1967 All models	900	8D	153-5720	101-4000
1966-65 Waukesha	315	3EE	8C-3620	—
HESSTON CORPORATION				
Wheel Tractors				
1990-80 450, 480, 580, 466, 566	625	30H	3T-5760	115-2422
1990-80 640, 666, 680, 780, 980, 666, 766	820	4DLT	153-5700 Δ	8C-3622
1985-80 1180, 1380, 1580, 1880	900	4D	153-5700	9X9720
1993-80 45-66, 55-46, -56, -66	625	30H	3T-5760	115-2422
1993-85 65-46, 65-56, 70-66, 80-66	820	4DLT	153-5700 Δ	8C-3622
1991-86 70-66F, 80-66F	820	4DLT	153-5700 Δ	8C-3622
1993-85 60-66, 60-90, 65-46	625	30H	3T-5760	115-2422
1994-85 70-90, 80-90, 90-90, 100-90, 880-5	820	4DLT	153-5700 Δ	8C-3622
1990-85 130-90, 140-90, 160-90, 180-90	900	4D	153-5700	9X9720
Crawler Tractors				
1990-84 70-65C, 95-55C	820	4DLT	153-5700 Δ	8C-3622
1990-79 120C, 605C, 805C, 655C, 955C	625	30H	3T-5760	115-2422
Forage Harvesters				
1990-77 7600, 7650, 7655	900	4D(2)	153-5700	9X9720
Windrowers				
2000-98 8450, 8510	500	24	153-5656	3T-5857
1990-75 All models: Gas, Diesel (req. 2 batts.)	650	24F	3T-5858	9X-1382
INTERNATIONAL HARVESTER				
See "CASE INTERNATIONAL"				
J.I. CASE				
See "CASE INTERNATIONAL"				
JOHN DEERE				
See "DEERE, JOHN"				
KORVAN CORPORATION				
Harvesters				
2000 Raisin, 9000V Raspberry	—	—	—	—
9200 Coffee	660	29H	3T-5760	115-2422
KUBOTA TRACTOR				
Additional equipment is listed in the Industrial Equipment section.				
Farm Tractors				
B21	405	51	—	—
B1700, B2100, B2400	405	51R	—	—
2000-99 B2710, B7300	405	51R	—	—
B600, B2150, B6100, B8200, L175, -185, L225, L235, L245, L275, L295	525	24F	3T-5858	9X-1382
L2350, L2500, L2650, L2950, L3410	490	24F	3T-5858	9X-1382
L35, L2900, L3000, L3300	490	24	153-5656	3T-5857

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

Refer to page 67 for explanation of Farm Equipment replacement footnotes.

FARM EQUIPMENT

KUBOTA TRACTOR — MASSEY-FERGUSON, INC.



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Farm Tractors (continued)				
2000-99 L3010, L3710, L4310	585	24	153-5656	3T-5857
L200, L210	600	27	153-5656	8C-3601
L3600, L4000, L4200	450	27	153-5656	8C-3601
L260, L285, L295, L305, L345, L355SS	525	30H	3T-5760	115-2422
M110, M120	700	4DLT	153-5700 Δ	8C-3622
M4000, M4050, M4500	525	30H	3T-5760	115-2422
M4700, M5400	700	31	175-4370	175-4390
2000-99 M6800, M8030, M8200, M9000	700	31	175-4370	175-4390
M9580	660	30H	3T-5760	115-2422

LONG MFG. N.C., INC.

Crawler Tractors

1997-91 2260, 2310, 2360, 2460, 2510, 2610	650	30H	3T-5760	115-2422
1986-79 All 460, 510 & 610 Models	510	30H	3T-5760	115-2422

Wheel Tractors

1988-79 260, 310; 360: (12 volt)	600	30H	3T-5760	115-2422
1978-75 350, 445; 360: (6 volt)	810	4EH	8C-3632	—
1988-79 460: (12 volt)	600	30H	3T-5760	115-2422
1978-75 460: (6 volt)	810	4EH	8C-3632	—
1988-79 510, 610	600	30H	3T-5760	115-2422
1984-71 550, 560, 900, 910, 1100, 1310	810	4EH(1,2)	8C-3632	—
1980-78 1400	625	16TF	—	—

MAC DON INDUSTRIES LTD.

Windrower

2000-90 9300	620	27	153-5656	8C-3601
--------------	-----	----	----------	---------

MASSEY COMBINES CORP.

Formerly "MASSEY-FERGUSON INDUSTRIES, LTD."

Combines

1977-75 300, 510: Gas	280	24	153-5656	3T-5857
1977-75 300, 510: Diesel	545	30H	3T-5760	115-2422
1988-78 540, 550, 850, 855, 860, 865, 8560, 8590	595	27(1,2,3)	153-5656	8C-3601
1980-75 550, 760: Diesel	470	24(1,2)	153-5656	3T-5857

Swathers

1982-75 655, 775	280	24	153-5656	3T-5857
1987-83 885: Gas	380	24	153-5656	3T-5857
1987-83 885: Diesel	520	74	153-5660	—

MASSEY-FERGUSON, INC.

Additional equipment is listed in the Industrial Equipment section.

Wheel Tractors

Ferguson Brand:

(See end of listing for other early models)

1957-55 F-40, TO-35	325	24	153-5656	3T-5857
1954-52 TO-30	525	1	8C-3617	8T-9734

MF Series:

1976-59 MF-20; MF-30, -35: Gas	375	24	153-5656	3T-5857
1976-60 MF-25, -30, -31, -35: Diesel	580	30H	3T-5760	115-2422
1976-68 MF-33, -40; MF-50: Gas	580	30H(1,2)	3T-5760	115-2422
1970-69 MF-44	1000	8D	153-5720	101-4000
1964-51 MF-50: Gas	465	24	153-5656	3T-5857

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Wheel Tractors (continued)				
MF Series (continued):				
1976-69 MF-50, -50A: Diesel	375	24(2)	153-5656	3T-5857
1964-62 MF-50: Diesel	540	30H	3T-5760	115-2422
1964-59 MF-50, -65: LPG	375	24	153-5656	3T-5857
1970-68 MF-55	900	4D(2)	153-5700	9X9720
1961-59 MF-65: Diesel	675	3(2)	153-5690	8C-3630
1964-61 after S.N. 677170	580	30H	3T-5760	115-2422
1964-58 MF-65: Gas	465	24	153-5656	3T-5857
1976-69 MF-70 & Diesel MF-80	500	30H(2)	3T-5760	115-2422
1961-59 MF-85, -88: Diesel	850	5D(2)	8C-3633	8T-9733 Y
Gas, LPG	375	24	153-5656	3T-5857
1965-62 MF-90, -90WR: Diesel	580	30H(2)	3T-5760	115-2422
Gas, LPG	465	24	153-5656	3T-5857
1964-59 MF-95, -97: Gas, LPG, Diesel	325	3EE(1,2,3)	8C-3620	—
1976-65 MF-130: Diesel	540	30H	3T-5760	115-2422
1976-64 MF-135, -150: w/ Live PTO	465	24	153-5656	3T-5857
Diesel w/ Independent PTO	540	30H	3T-5760	115-2422
1980 MF-154-4	580	27	153-5656	8C-3601
1976-64 MF-165, -175, -180: Gas, LPG	465	24	153-5656	3T-5857
Gas, LPG; w/ Independent PTO	540	30H	3T-5760	115-2422
Diesel, all	580	30H	3T-5760	115-2422
1969-59 MF-202, -204	375	24	153-5656	3T-5857
1980-61 MF-184-4, MF-203, -205 & Gas MF-302, -304	500	30H	3T-5760	115-2422
1986-75 MF-230, -240, -250	545	24	153-5656	3T-5857
1986-81 MF-254	580	27	153-5656	8C-3601
1982-75 MF-235, -245, -255, -265	580	30H	3T-5760	115-2422
1986-83 MF-270, -290	465	24(2)	153-5656	3T-5857
1986-81 MF-274, -294	580	27	153-5656	8C-3601
1983-75 MF-275, -285: Diesel	950	4D	153-5700	9X9720
1986-83 MF-298	525	24(2)	153-5656	3T-5857
1969-62 MF-302, -304: Diesel	375	24(2)	153-5656	3T-5857
1974-62 MF-356	540	30H(2)	3T-5760	115-2422
2000-95 MF-394F, S	500	24	153-5656	3T-5857
1986-83 MF-670, -690, -698, -699	525	24(2)	153-5656	3T-5857
1978-62 MF-1080, -1100, -1105, -1130, -1150, -1155, -1500, -1505, -1800, -1805	580	30H(1,2)	3T-5760	115-2422
1977-72 MF-1085, -1135, -1155: Diesel	500	30H(2)	3T-5760	115-2422
1998-95 MF-1230	585	24	153-5656	3T-5857
1970-64 MF-2135 & Turf Spl.	375	24	153-5656	3T-5857
1983-82 MF-2640: Diesel	580	27(2)	153-5656	8C-3601
1982-76 MF-2675, -2705, -2745, -2775, -2805	580	30H(2)	3T-5760	115-2422
1999-98 MF-3245, -3260, -3270, -3280	600	24(2)	153-5656	3T-5857
1986-84 MF-3505, -3525, -3545	580	27(2)	153-5656	8C-3601
1969-64 MF-3165 & Turf Spl.: Gas	375	24	153-5656	3T-5857
Diesel	500	30H	3T-5760	115-2422
2000-97 MF-4270	590	24(2)	153-5656	3T-5857
1986-78 MF-4800, -4840, -4880, -4900	520	24(2)	153-5656	3T-5857
2000-99 MF-8280	600	24(2)	153-5656	3T-5857

Compact Tractors

1986-79 MF-205, -210, -220, -1020, -1030, -1040	465	24	153-5656	3T-5857
1986-82 MF-1010	300	29NF	3T-5858 π	9X-1382 π

Early Models: Other Than "MF" Series:

1957-46 22, 30, Colt, Mustang	525	1	8C-3617	8T-9734
1955-49 33, 44, 44 Spl.: Diesel	800	4(2)	8C-3633	8T-9733
1955-52 33G, -K, 44G, -K, 44 Spl G, 44 Spl K	525	1	8C-3617	8T-9734
1955-46 44LP, 44-Spl LP, 55	800	4	8C-3633	8T-9733
1955-49 55DS, 55LP	900	7D(1,2)	8C-3635	8T-9731
1958-56 202 Work Bull	375	24	153-5656	3T-5857
1958-56 303 Work Bull: Gas	800	4(2)	8C-3633	8T-9733
1959 303 Work Bull: Gas	325	3EE	8C-3620	—
Diesel	400	27	153-5656	8C-3601

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Early Models: Other Than "MF" Series (continued)				
1959-56 333G, 333K	375	24	153-5656	3T-5857
1959-56 333LP, 444LP, 555G, -K, -LP	525	1(2)	8C-3617	8T-9734
1959-56 404 Work Bull (Gas), 444G, -K	325	60	—	—
1959-56 555 Diesel	900	7D	8C-3635	8T-9731
1959-56 FE-35	800	4(2)	8C-3633	8T-9733
1959-55 F-40, TO-35, -35 Spl: Gas	375	24	153-5656	3T-5857
1954-31 TO-30	525	1	8C-3617	8T-9734
1959 TO-35: Diesel	800	4(2)	8C-3633	8T-9733
MASSEY-FERGUSON INDUSTRIES, LTD.				
See "MASSEY COMBINES CORP."				
MELROE COMPANY				
Spray Coupe				
1995-76 220 Gas	400	24	153-5656	3T-5857
1995-93 3000 Diesel	575	24	153-5656	3T-5857
2000-96 3640	750	30H	3T-5760	115-2422
MINNEAPOLIS - MOLINE				
See "WHITE-NEW IDEA DIVISION"				
M-R-S MANUFACTURING				
<i>All units use one or two 8D Group Number except Special Order, Military and M-R-S 250.</i>				
Industrial Tractors				
1953-52 72	645	3	153-5690	8C-3630
1967-63 A-80, -80B, -80CS, -90, -90B, -100, -105	580	30H(1,2)	3T-5760	115-2422
1962-61 A-90, -95, -100, -105 (req. spl. Military 6TL size batt.)	NA	—	—	—
1970-64 I-80S, -80T	580	30H(2)	3T-5760	115-2422
1967-63 I-90, -100, -105, -110	580	30H(4)	3T-5760	115-2422
1962-61 I-90, -100, -105, -110 (req. spl. Military 6TL size batt.)	NA	—	—	—
1980-72 I-90S, -95S, -100S, -105S, -110S	845	8D(1,2)	153-5720	101-4000
1980-65 I-120, -115S	845	8D(1,2)	153-5720	101-4000
1952 125, 150	850	7D(2)	8C-3635	8T-9731
1967-52 125, 150, 150C, 190	950	8D(1,2)	153-5720	101-4000
1959-54 200: Cummins	950	8D(2)	153-5720	101-4000
1967-63 200: Cummins	500	24	153-5656	3T-5857
1958-56 250: Air Start	950	8D	153-5720	101-4000
1980-59 250: Air Start	500	24(2)	153-5656	8C-3601
1959-56 250: Electric Start	1200	9D(5)	8T-9730 ∞	—
Agricultural Tractors				
1980-75 A Series: -80, -80CS, -85, -92, -95, -100	845	8D(1,2)	153-5720	101-4000
NEW HOLLAND, INC.				
See "FORD NEW HOLLAND"				
NEW IDEA FARM EQUIPMENT CORP.				
See "WHITE-NEW IDEA"				

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
OLIVER-WHITE				
Wheel Tractors				
1959-47 Super 44 thru 88 Series: ex below	550	1(1,2)	8C-3617	8T-9734
1958-57 Super 55, 66, 77 & 88: Gas, LPG	400	60	—	—
1958-57 Super 77 & 88: Diesel	600	2(2)	153-5690	8C-3629
1954-47 88	550	1(1,2)	8C-3617	8T-9734
1957-37 90, 99: Gas	600	2	153-5690	8C-3629
Diesel	550	1(2)	8C-3617	8T-9734
1958-57 Super 99 GM, GMTC	850	5D(2)	8C-3633	8T-9733 ¥
1958-57 Super 99	650	3(1,2)	153-5690	8C-3630
1962-59 440	550	1	8C-3617	8T-9734
1968-58 550, 660: Gas	400	60	—	—
Diesel	550	1(2)	8C-3617	8T-9734
1968-58 770, 880: Gas, LPG	400	60	—	—
Diesel	600	2(2)	153-5690	8C-3629
1961-58 950: Gas	450	27	153-5656	8C-3601
Diesel	650	3(2)	153-5690	8C-3630
1961-58 990, 995	775	5D(2)	8C-3633	8T-9733 ¥
1968-65 1250	400	24(2)	153-5656	3T-5857
1975 1265, 1365	830	3EH(2)	8C-3632 ¥	—
1968-67 1450	500	2E(2)	8C-3632 Δ	—
1969-60 1550 thru 1900: Gas	400	60	—	—
Diesel	850	5D(2)	8C-3633	8T-9733 ¥
1968-64 1950: Diesel	800	4(2)	8C-3633	8T-9733
1968-67 1950T: Diesel	500	30H	3T-5760	115-2422
1968-59 WA-4 thru WA-9	950	8D	153-5720	101-4000
1971-59 WA-14, WA-17 (thru '65), WI-14, -17, -24	800	4D(2)	153-5700	9X9720
1970-59 WA-14, WA-17, WI-9, WSC-4	950	8D(1,2)	153-5720	101-4000
1967 WSC-10	800	4D(2)	153-5700	9X9720
1972-63 All 17 Series,	950	8D(2)	153-5720	101-4000
1972-70 SF-430, SK-250, WC-430, WD-30	950	8D(2)	153-5720	101-4000
OMC				
See "OWATONNA MFG. CO."				
ORCHARD-RITE CO.				
9300 Shaker	660	29H	3T-5760	115-2422
Cyclone Fan	600	31	175-4370	175-4390
OWATONNA MFG. CO. (OMC), INC.				
<i>Additional equipment is listed in the Industrial Equipment section.</i>				
Shakers				
Magnum Monobeam	850	65	230-6368	250-0484
Shock Wave	660	29H	3T-5760	115-2422
Windrowers				
1979-75 260, 265: Gas	300	24	153-5656	3T-5857
Diesel	380	30H	3T-5760	115-2422
1976-75 270, 275: Gas, Diesel (req. 2 batts.)	300	24	153-5656	3T-5857
1983-80 280, 282, 285: Gas	335	24	153-5656	3T-5857
Diesel	380	30H	3T-5760	115-2422
RANDALL CO.				
Sprayers				
RW5	400	24	153-5656	3T-5857
RW11	750	31	175-4370	175-4390

FARM EQUIPMENT

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

FARM EQUIPMENT

RAYGO WAGNER — WELDCRAFT, INC.



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
RAYGO WAGNER				
See "FWD-WAGNER"				
REARS, INC.				
Sprayers				
6068T	875	65	230-6368	250-0484
ROTOMIX				
Vertical Feedmixers				
455, 855	460	24	153-5656	3T-5857
SEAMAN CORP.				
Wheel Tractors				
1959-41 All models: Diesel req. 2 batts.	750	4(1,2)	8C-3633	8T-9733
SHEPPARD				
Wheel Tractors				
1958-52 SD-2, -3, SDI-2, -3, SDHI-2, -3	750	4(2)	8C-3633	8T-9733
1962-59 SD-3, SD-4 ('62 thru '54)	850	7D(2)	8C-3635	8T-9731
SPERRY NEW HOLLAND				
See "FORD NEW HOLLAND"				
STEIGER TRACTOR, INC.				
Additional equipment is listed in the Industrial Equipment section.				
Wheel Tractors				
1981-74 Super Wildcat II, Wildcat III, Bearcat II	815	8D	153-5720	101-4000
1983-76 Bearcat III, Cougar II, III, Panther II, III	815	8D(2)	153-5720	101-4000
1987-79 Bearcat III, Bearcat 1000 P/S	625	31(3,4)	175-4370	175-4390
1987-86 Lion, Cougar 1000 P/S	625	31(3,4)	175-4370	175-4390
1987-86 Bearcat, Panther, Puma, Wildcat 1000 P/S	625	31(2,3,4)	175-4370	175-4390
1976-74 Turbo Tiger II	815	8D(2)	153-5720	101-4000
1987-82 CP-1325, CP-1360, CP-1400: Panther	625	31(4)	175-4370	175-4390
1986-83 CM-225, CM-250, CM-280, CM-325, CM-360	625	31(3)	175-4370	175-4390
1986-85 CR-1225, CR-1280: Cougar	625	31(3)	175-4370	175-4390
1986-83 CS-280, KS-280	475	31(4)	175-4370	175-4390
1987-83 KM-280, KM-325, KM-360, KP-525	625	31(3)	175-4370	175-4390
1987-82 KP-1325, KP-1360, KP-1400 Panther	625	31(4)	175-4370	175-4390
1986-85 KR-1225, KR-1280 Cougar, KR-1285	625	31(3)	175-4370	175-4390
1982-77 PT-225: Bearcat, PT-270: Cougar, PT-350: Panther	475	31(4)	175-4370	175-4390
1983-80 PTA-270, -280: Cougar	475	31(4)	175-4370	175-4390
1983-78 PTA-297, -310, -325: Panther	475	31(4)	175-4370	175-4390
1983-77 ST-450, ST-470: Tiger	625	31(4)	175-4370	175-4390
STEWART & STEVENSON, INC.				
Pumps				
55P3500	700	27	153-5656	8C-3601
TERRATRAC				
For 1960 and later, see "CASE INTERNATIONAL"				
Wheel Tractors				
1959-58 420B	400	24	153-5656	3T-5857

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
THOMAS				
Loaders				
Bankout	600	30H	3T-5760	115-2422
180 Loader	710	27	153-5656	8C-3601
TRACTOMOTIVE				
For 1960 and later see "ALLIS-CHALMERS"				
Wheel Tractors				
1959-51 TL-6, -10, -11, -12	500	1	8C-3617	8T-9734
1959-55 TL-6D, -11D, -12D	650	4(2)	8C-3633	8T-9733
1959-57 TL-14, -14D, -16, -16D, -20D	700	4D(1,2)	153-5700	9X9720
TROJAN				
Wheel Tractors				
1956-54 DLH-75	750	4	8C-3633	8T-9733
1959-53 LA-40, LC-100, -100B, -LCM-100	550	3	153-5690	8C-3630
1959-53 LA-40D, LC-100D, LT-400D, 104-D, 154-D	700	4D	153-5700	9X9720
1954-52 LC-100, LMD-75	500	2(1,2)	153-5690	8C-3629
1956-51 LH-75, LM-75, LT-400	550	3	153-5690	8C-3630
1959-57 104, 154	500	27	153-5656	8C-3601
VERSA, INC.				
Baggers & Choppers				
910, 1012	625	31(2,4)	175-4370	175-4390
VERSATILE FARM EQUIPMENT OPERATIONS				
FORD-NEW HOLLAND CANADA LTD. See also "FORD NEW HOLLAND"				
Wheel Tractors				
1972-70 D-145	900	8D	153-5720	101-4000
1981-77 150	455	74	153-5660	—
1983-82 160	525	24(2)	153-5656	3T-5857
1992-84 256, 276; 276II: Cummins eng.	625	31(2)	175-4370	175-4390
1992-89 276II: Ford eng.	850	31	175-4390	—
1984-72 300, 500, 555, 700, 750	900	8D(2)	153-5720	101-4000
1992-84 756, 836, 846, 856, 876, 936	625	31(2,3,4)	175-4370	175-4390
1984-72 800, 825, 835, 850, 855, 875	900	8D(2)	153-5720	101-4000
1984-72 895, 900, 935, 950, 945, 955, 975	900	8D(2)	153-5720	101-4000
1992-84 946, 956, 976, 1150, 1156, 9030	625	31(2,4)	175-4370	175-4390
1991 TW8030	750	4DLT	153-5700 Δ	8C-3622
Swathers				
1986-75 400, 4400: Gas, Diesel (req. 2 batts.)	525	24(1,2)	153-5656	3T-5857
1990-86 4700, 4750	625	31	175-4370	175-4390
WEISS/MCNAIR, INC.				
Nut Harvesters				
JD40	550	24F	3T-5858	9X-1382
8900	700	31P	3T-5760	115-2422
WELDCRAFT, INC.				
Harvesters				
Bin Retriever, Nut Receiver	725	31P	3T-5760	115-2422
Shakers				
20, 25 Treelift	525	24/24F	153-5656	3T-5857
			3T-5858	9X-1382

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
WHITE-NEW IDEA DIVISION				
AGCO CORPORATION Formerly "WHITE FARM EQUIPMENT CO." & "AVCO NEW IDEA"				
U1 w/ SAE posts. Replace cables or use terminal adapters.				
Wheel Tractors				
1996-91 4650	470	48	NA	NA
1998-91 4660, 5680, 5760	470	49	8C-3605	—
1997-95 5550, 5650, 6045	470	49	8C-3605	—
1997-91 6065 ROPS, 6065C, 6085, 6090	470	49	8C-3605	—
1997-91 6105, 7630, 7650, 8610, 8630 (Best fit estimate. See note on p. 1)	630	4DLT	153-5700 Δ	8C-3622
1997-93 6124, 6125, 6144, 6145, 6175, 6195, 6215	600	24(2)	153-5656	3T-5857
1997-91 6670, 6680, 6690	470	49	8C-3605	—
2000-95 6410, 6510, 6710, 6810	600	24(2)	153-5656	3T-5857
1997-91 7600	500	49	8C-3605	—
2000-98 8510, 8610, 8710, 8810	600	24(2)	153-5656	3T-5857
1997-93 9435, 9455, 9630, 9635, 9650, 9655, 9670, 9675, 9690, 9695, 9815	600	24(2)	153-5656	3T-5857
1991-73 60, 80, 100, 120, 140, 160, 185, 1870, 2270	685	30H(1,2)	3T-5760	115-2422
1993-90 125, 145, 170, 195	580	24(2)	153-5656	3T-5857
1976-71 1270, 1370, 1465, 1470	810	3EH(2)	8C-3632	—
1984-79 2-30, 2-35	515	31	175-4370	175-4390
1988-80 2-32, 2-45, 2-55, 2-62, 2-65, 2-75	530	27(1,2)	153-5656	8C-3601
1981-76 2-50, 2-60	810	3EH(2)	8C-3632	—
1982-75 2-70	610	4(2)	8C-3633	8T-9733
1987-75 2-85, 2-88, 2-105; 2-110: Turbo	830	3EH(2)	8C-3632	—
1982-77 2-135, 2-155	515	30H(2)	3T-5760	115-2422
1987-82 2-135, 2-155 Series 3: Turbo	515	30H	3T-5760	115-2422
1976-75 2-150	575	30H(2)	3T-5760	115-2422
1988-78 2-180	515	31(2)	175-4370	175-4390
1986-82 2-180 Series 3	515	30H(2)	3T-5760	115-2422
1991-86 FB16, FB21	340	U1	8C-3636 ¥	—
1991-86 FB31, FB37, FB43	660	27	153-5656	8C-3601
1988-86 FB185	515	30H(2)	3T-5760	115-2422
MINNEAPOLIS-MOLINE-WHITE				
Wheel Tractors				
1963-57 4 Star, 5 Star: All models	350	3EE(1,2,3)	8C-3620	—
1960-56 335 Series	450	1	8C-3617	8T-9734
1959-56 445 Series	350	3EE	8C-3620	—
1966-60 500, 600: Gas, Diesel (req. 2 batts.)	350	3EE(1,2)	8C-3620	—
1972-69 A4T-1400, -1600: LPG, Diesel (req. 2 batts.)	575	30H(1,2)	3T-5760	115-2422
1959-48 GB, GBD	350	3EE(1,3)	8C-3620	—
1962-59 G-VI: LPG, Diesel (req. 3 batts.)	350	3EE(1,3)	8C-3620	—
1973-72 G-350, G-450: Diesel	810	3EH	8C-3632	—
1964-62 G-705, G-706: Gas, LPG, Diesel (req. 3 batts.)	350	3EE(2,3)	8C-3620	—
1965 G-707, G-708: LPG, Diesel (req. 3 batts.)	350	3EE(2,3)	8C-3620	—
1974-71 G-750, -850, -940: Gas, LPG	385	60	—	—
1974-71 G-750: Diesel	725	5D	8C-3633	8T-9733

MAKE EQUIPMENT TYPE YEAR/MODEL	CCA @ 0°F	O.E. BCI NO.	REPLACEMENT	
			OPTION 1	OPTION 2
Wheel Tractors (continued)				
1974-71 G-850, G-940: Diesel	830	3EH	8C-3632	—
1969-67 G-900: Gas, LPG, Diesel (req. 2 batts.)	575	30H(1,2)	3T-5760	115-2422
1972-69 G-950: Gas, LPG, Diesel (req. 2 batts.)	575	30H(1,2)	3T-5760	115-2422
1968-65 G-1000, G-1000 Vista: Gas, LPG	350	3EE(2)	8C-3620	—
1968-65 G-1000, G-1000 Vista: Diesel	350	3EE(3)	8C-3620	—
1969 G-1000, G-1000 Vista: Gas	575	30H	3T-5760	115-2422
1969 G-1000, G-1000 Vista: Diesel	575	30H(2)	3T-5760	115-2422
1972-69 G-1050, G-1350: Gas, Diesel (req. 2 batts.)	575	30H(1,2)	3T-5760	115-2422
1976-73 G-955, G-1355	575	30H(2)	3T-5760	115-2422
1955-43 L Unitractor, RTI, UTI, UTIL, Z	350	2L	153-5690 ≈	8C-3629
1963-56 L Unitractor: S-24 Unitractor: Gas	385	60	—	—
1962-59 M-5: Gas, LPG, Diesel (req. 2 batts.)	350	3EE(1,2)	8C-3620	—
1964-63 M-602, M-604: Gas, LPG, Diesel (req. 2 batts.)	350	3EE(1,2)	8C-3620	—
1970-65 M-670, M-670: Super	350	3EE	8C-3620	—
1963-60 S-24 Unitractor: Diesel	585	2(2)	153-5690	8C-3629
1959-52 UB, UTS, UTID, UTILD, UTI, UTIL, Z, ZB	350	3EE(1,2)	8C-3620	—
1970-64 U-302: Gas, LPG, Diesel (req. 2 batts.)	350	3EE(1,2)	8C-3620	—
1971-59 Jet Star: All models	350	3EE(1,2)	8C-3620	—
Articulated Wheel Tractors				
1982-74 4-150, 4-180, 4-210	645	30H(2)	3T-5760	115-2422
1990-79 4-175; 4-270: Turbo	515	31(2,3)	175-4370	175-4390
1988-83 4-225: Turbo	515	30H(2)	3T-5760	115-2422
Power Units				
1981-76 700	800	4D	153-5700	9X9720
1976-75 703, 704: Gas	545	2(2)	153-5690	8C-3629
1975 705: Diesel	760	4D(2)	153-5700	9X9720
1975 706: Diesel	545	2(2)	153-5690	8C-3629
1982-76 706D, 707D, 708, 709, 801, 800, 802	935	8D	153-5720	101-4000
1985-83 800A, 802A, 803A	625	31(2)	175-4370	175-4390
1992-85 800C, 802C, 803C	750	31(2)	175-4370	175-4390
Self-Propelled Combines				
1985-75 5542, 7300: Gas	360	24	153-5656	3T-5857
Diesel	700	4(2)	8C-3633	8T-9733
1978-75 8600, 8800: Gas	360	24	153-5656	3T-5857
Diesel	810	3EH(2)	8C-3632	—
1985-78 8700, 8900, 8920	500	24F(2)	3T-5858	9X-1382
1985-79 9700, 9720	480	31(3)	175-4370	175-4390
1993-92 W2500, W2600	580	24(2)	153-5656	3T-5857
Uni Harvesters				
1993-85 800C, 802C, 803C	750	31(2)	175-4370	175-4390
WILLMER				
Sprayers				
785, 7200	650	24F/24(2)	127-0824	9X-1382
6200, 6400	650	24F/24	127-0824	9X-1382

FARM EQUIPMENT

Farm Equipment Replacement Footnote Codes:

- ≈ Replacement battery is taller than O.E. **Check height clearance carefully before closing hood or cover to avoid sparks, battery explosion, electrical system and/or vehicle damage and fire!**
- ∞ Replacement battery is wider than O.E. Hold-down and/or tray replacement may be necessary.
- π Replacement battery is longer than O.E. Hold-down and/or tray replacement may be necessary.
- # Replacement battery is longer and wider than O.E. Hold-down and/or tray replacement may be necessary.
- ¥ Check O.E. CCA requirements. **Replacement CCA may not be sufficient.**
- Ω Replacement battery is longer and taller than O.E. **Check height clearance carefully to avoid sparks, battery explosion, electrical system and/or vehicle damage and fire.** Hold-down and tray replacement may be necessary.
- ≠ Battery hold-down may need to be replaced and/or modified. Battery cable replacement may be necessary.
- Δ Replacement battery is wider and taller than O.E. **Check height clearance carefully to avoid sparks, battery explosion, electrical system and/or vehicle damage and fire.** Hold-down and/or tray replacement may be necessary.

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**