

LAWN & GARDEN/SMALL ENGINE

AGCO ALLIS — CARTER BROTHERS COMPANY

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
AGCO ALLIS		
Hydrostatic Garden Tractors:		
1920H, 1918H, 918H, 918PS	3T-5859	9X-1384
1718H, 1717H, 1716H, 1618H, 1720H, 1723H, 515G, -H, 517H, 516H, -VH	8C-3636 Y	—
Gear Garden Tractor:		
1716G	8C-3636 Y	—
Hydrostatic Lawn Tractors:		
1616H, 1614H, 1614VH, 1615H, 512H, 514H, 516H, 1615HC	8C-3636 Y	—
Gear Lawn Tractors:		
1615G, 512G, 514G, 516G	8C-3636 Y	—
Hydrostatic Front Cut:		
1316H	8C-3636	—
Gear Riding Mowers:		
409G, 411G, 412G	8C-3636	—
Hydrostatic Riding Mowers:		
412H, 413H, 414H, 411G, 416H	8C-3636	—
Zero Turn Riding Mowers:		
ZT14H, ZT16H, ZT18H, -1644, -1638, -1850	8C-3636	—
AIR ELECTRIC MACHINE COMPANY		
DS-25, DS-30, 380	8C-3636	—
ALLIS-CHALMERS MFG. COMPANY		
See Deutz		
AMF LAWN GARDEN DIV.		
See Dynamark		
ARIENS COMPANY		
EZ Riders:		
EZR 1440, 1540, 1640, 1648, 1742, 1542, 1842, 2048, 2050	8C-3636	—
Grand Sierra 2200, 6522H	8C-3636 Y	—
High Sierra 1848	8C-3636	—
Sierra Models:		
1340G, 1440G, 1340H, 1440H, 1540H, 1640H, 1648H	8C-3636	—
Imperial Models:		
All 901000 Series, All 912000 Series, All 925000 Series, All 927000 Series, All 9310010-9310018 Series, 91400 (tillers), 929000	N.A.	—
914000 Series	8C-3636	—
All 931000-931009 Series, All 934000 Series	8C-3636	—
All 936000 Series	8C-3636	—
All 935000 Series, Comm-Rider 18, GT18, GT20 (1989), HT16 (1989), HT18 (1989), YT1232, YT1238, YT1438	8C-3636 §	—
GT17, GT20, HT16, HT18, YT10, YT11, 929001, 929002	8C-3636	—
12972, 12982, 12984, 13948, 13967, 13990	8C-3636	—
Snowblowers:		
Zoom 2050, Zoom 2250	8C-3636	—
Garden Tractors:		
1540, 1742, 2548	8C-3636	—
Mowers:		
1548H, 1450H, 1640H, 1648H, 1848H	8C-3636	—
Tractors:		
1742, 2048, 2200, 2248, 1340, 1542	8C-3636	—
ATLAS TOOL & MFG. CO.		
ER2650, ER2680, ER3280	N.A.	—
ER2600, ER3000, ER7130, ET2650	8C-3636	—

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
BOBCAT BY TEXTRON		
Zero Turn Radius:		
BZT1250, BZT2000, BZT2250	8C-3636	—
BZT3310	8C-3600	—
Zero Turn Radius Riders:		
ZT-125, ZT-226 EFI, ZT-218ES, ZT-219, ZT-223, ZT-223 LC	8C-3636	—
ZT-220	8C-3600	—
BOLENS		
(FMC Corporation)		
Outdoor Power Equipment/L&G Tractors (Gas Models):		
All XL & X1 Series, G-16XT, H-16XT, HT-23, QT-16, QT-17, ST110G, ST160G, ST160H, 1050, 1250, 1400G, 1455, 1476, 1477, 1600A, 1600G, 1700, 1886, 1900	3T-5859	9X-1384
DTG1700, G-8, G-10, G-11, G-12, GT2000, ST140, ST180, 510, 600, 610, 613, 730, 733, 736, 775, 800, 813, 855, 900, 2027, 2133, 3018G, 3018H, 3114G, 3114H, 5117H, 5118H, 5120H, STG125, STH125	8C-3636	—
G-14, GT180, H-14, HT-20, HT-20D, HT-23 Husky 1250, QS-16, QT-16, ST110, ST120, ST125, ST125 Hydro, ST160, ST160 Hydro, 931, 1402, 1600 Hydro, 1800 Hydro, 2000 Hydro	3T-5859	9X-1384
Husky 728, 770, 829	N.A.	—
Husky 850, ST120 (1989), STE125, STG125, STH125, 1467, 1467, 1668, 2028, 2030, 2036, 2136, 3212G, 3212H	8C-3636	—
G-152, G-154, G-172, G-174	N.A.	—
G-192, G-194, G-212, G-214, G-242, G-244	153-5656	3T-5857
G-272, G-274, G-292, G-294	8C-3601	3E-8925
Outdoor Power Equipment/L&G Tractors (Diesel Models):		
G-1502, G-1502 Hydro, G-1704, G-1704 Hydro, G-2102, G-2104, H-16, 650, 750, 850, 853, 1000, 1053, 1054, 1220, 1225, 1253, 1254, 1256, 1257, 1556	3T-5859 ∞	9X-1384 ∞
G-2702, G-2704	153-5656	3T-5857
1502, 1502H, 1704, 1704H	—	—
3000, 5100, 13000 Series, 1400, 1600	8C-3636 Y	—
Riders (Gas):		
2027, 213	8C-3636	—
BUNTON COMPANY		
Outdoor Power Equipment/L&G Tractors:		
BG-61, BRC-61, B-52, B-61R, B-61T, 32-10BBS, 36H-10BBS, 36-10BBS, 52H-10BBS, 52-10BBS	8C-3636	—
Lawn Lark 32", 36"	8C-3636 §	—
Riding Rotary Mowers:		
BHR/BHRC 52, 61, 71	8C-3636 Y	—
Walk-Behind:		
BHT/BHC 36", 48", 52", 61"	8C-3636	—
B28LB, B32L, B36, 48, 52	8C-3636 Y	—
BBK 36, 48	8C-3636 Y	—
Zero-Turn:		
BBMH/BBM 50C, 60C, BBMC/BBM 50C, 60C	8C-3636	—
BZT/BZTC 48, 52, 61	8C-3636 Y	—
Twister Rider	8C-3600	145-4518
Riders:		
BZT-2200, BZT-3310	8C-3600	—
BZT-1250, BZT-2000, BZT-2250	8C-3636	—
Zero Turn Radius Riders:		
BZT-2190, -2230, -2230 LC	8C-3636	—
CARTER BROTHERS COMPANY		
EZ-502, EZ-502C, EZ-702, EZ-702C	N.A.	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

LAWN & GARDEN/SMALL ENGINE

CASE INTERNATIONAL — DIXIE CHOPPER

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.



MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
CASE INTERNATIONAL		
(formerly J.I. Case Company)		
Compact Tractors:		
M-80 Rear Engine Rider	N.A.	—
80, 80XC, 107, 108, 108XC, 110, 110XC, 116XC, 117, 118, 210, 220, 222, 224, 226, 442, 444, 446, 448, 644, 646, 648	8C-3636	—
CLIPPER (LAWN & GARDEN)		
4820, 6020, 6023D, 6024G, 7223D, 7224G	8C-3636	—
COLUMBIA		
(MTD, Inc.)		
387, 397, 455, 485, 495, 497, 525, 667, 760	8C-3636	—
960, 990	3T-5859 ∞	9X-1384 ∞
COMMERCIAL CLIPPER		
1810, 2010	8C-3636	—
COUNTRY CLIPPER		
Riding Mowers:		
1800F, 2200F, 2203M, 2500F, 2503M, 2203F, 2204M, 2503F	8C-3636	—
All Country Clipper	8C-3636	—
CUB CADET		
Outdoor Power Equipment:		
All diesel models (ex. below)	8C-3636 §	—
All other models (ex. below)	8C-3636	—
Rear Engine Riders:		
Models 804, 1106, 1108	N.A.	—
Riders:		
Models 55, 60, 75, 80, 81, 85, 85 Special, 86, 87	8C-3636	—
Tractors:		
AGS 2130, HDS 2135, AGS 2140, HDS 2145, AGS 2150, HDS 2155, AGS 2160, HDS 2165, HDS 2185	8C-3636 ¥	—
1440, 1641, 1782, 1863, 1864, 2182, 2284	3T-5859	9X-1384
Compact Tractors:		
7192, 7194, 7195, 7232, 7234, 7235, 7273	3T-5859	9X-1384
Garden Tractors:		
882, 1512, 1572, 1772 before No. 800,000	8C-3636 ¥	—
882, 1512, 1572, 1772 after No. 800,000	3T-5859	9X-1384
Mowers & Tractors:		
Z Series, 360 Series, Series 1000, Series 1500 Tractors, Series 2000	8C-3636	—
7000 Series	8C-3600	145-4518
182, 282, 382, 382H after No. 100,000	8C-3636	—
2000 & 3000 Series, 445, 583 from No. 100,000	8C-3636	—
7192, 7194, 7195, 7273, 7234, 7235	3T-5859	9X-1384
CUSHMAN		
Front Line, Turf Truckster	153-5656	3T-5857
DEERE, JOHN		
Lawn Tractors/Mowers:		
All GX, RX, SX & SRX models, Riding Mower S80, S82, S92, F510, F525	8C-3636 ¥	—
F710, F725, F910, F911, F912, F915, F925, F930, F932, F935, Lawn Tractor 210, 212, 214, 300, 400, F735	3T-5859	9X-1384
325, 345, 445, F935, F1145	—	—

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
Deere & Company (continued)		
Lawn Tractors/Mowers (continued):		
Lawn Tractor 60, 70, 100, 108, 110 (8 hp), 111, 112 (below serial #160,000), 112L, 116, 130, 160, 200, 208, Riding Mower 56, 57, 66, 68	8C-3636	—
Lawn Tractor 110 (10 hp), 112 (above serial #160,000), 120, 140, 210, 212, 214, 216, 300, 312, 314, 316 (2 cyl.), 317, 318, 320, 400, 420, 430, 460	3T-5859	9X-1384
R-72 Rider, 1420, 1435, 1445	N.A.	—
R92, STX30, STX38, STX46, 32, 36, 48, 52, 130, 160, 165, 170, 175, 180, 185, 240, 260, 322, 330, 332, 415, 425, 445, 455	8C-3636	—
Turf Mower 756, 856	3T-5859	9X-1384
Turf Mower 3325 (1991-90), 3365 (after 840001)	153-5656	3T-5857
Turf Mower 3325 (1989-88), 3365 (before 840001)	175-4370	—
90, 96	8C-3601	3E-8925
265, 285, 322	3T-5859	9X-1384
330 Diesel, 650 Diesel, 750 Diesel	3T-5859	9X-1384
LX172, LX176, LX178, LX186, LX188, GT242, GT262, GT275, STX30, STX38, STX46, LX277	8C-3636 ¥	—
R72, S80, S82, S92, GX70, GX75, GX95, SRX75, SRX95, R92	8C-3636 ¥	—
650, 750, 770	153-5656	3T-5857
850, 950, 1050, 900HC	115-2422	115-2421
655, 755, 855 (before S.N. 615000)	3T-5859	9X-1384
670, 855 (after S.N. 615000), 955	—	—
970, 1070	115-2422	115-2421
4x2, 6x4 Gators	8C-3636 ¥	—
2243 Pro Greens Mower, 1200 Bunker & Field Rake, 2653 Pro Utility Mower	8C-3636 ¥	—
2653A Diesel	—	—
2243 Diesel, Utility Vehicle, 141, 151, 161, 162 Vacuum Sweeper	3T-5859	9X-1384
3215, 3235 Lightweight Fairway Mower	—	—
Golf Carts	8C-3641	—
4100 Series, 790	153-5656	3T-5857
4200-5205, SST 18	8C-3636	—
Gator, Trail Gator, 1800	8C-3636	—
All Walk Behinds	8C-3636	—
Z Track F680	8C-3636	—
50, 60, 68, 70, 100, 108	8C-3636	—
GT225, GT235	8C-3636	—
LT133, LT155, LT166, LTR166	8C-3636	—
SST16, SST18	8C-3636	—
Pro Gator 2020, 2030	8C-3636	—
F260, M665	145-4517	8C-3600
DEUTZ		
(Allis-Chalmers Mfg. Company)		
B-207, B-208, B-210, B-212, HB-212, 610, 710, 712H, 712S, 716H, 912H, 914H, 916H, 917H, 919H, 920D, 1918, 1920	3T-5859 ∞	9X-1384 ∞
T811, T816, 608LTD, 611H, 611LTD, 611 Special, 612, 612LTD, 613, 616H, 616 Special, 830 Sprint, 1036 Sprint, 1814, 1816, 1817	8C-3636	—
405, 508	N.A.	—
608	8C-3636	—
720	7X-6100 π	—
1914, 1916, 1918 (1989), 1920 (1989)	3T-5859	9X-1384
5220 Diesel, 5230 Diesel	8C-3602	143-4084
DEVERE-LOCKE		
EP3T-5859 ∞	9X-1384 ∞	—
TR-9, TR-12½	8C-3636 §	—
DIXIE CHOPPER		
5018, 5020, 5024, 6024	8C-3636	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

L & G / SMALL ENGINE

LAWN & GARDEN/SMALL ENGINE DIXON INDUSTRIES — GRASS HOPPER

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
DIXON INDUSTRIES		
ZTR Series:		
6022	8C-3636	---
1001, 2301, 3303, 3304, 3362, 4421, 4422, 4515B, 4516K, 4518K, 4423, 4424, 5421, 5423, 5501, 5502, 5601, 6601, 3014, 5020, 5023, 6023, 7523, 8025, 4425, 4426	8C-3636 §	---
Zeeter	8C-3636	---
ZTR8026D, 8025, 8026D	153-5660	7X-6100
All Other ZTR Series	8C-3636	---
DYNAMARK		
(AMF)		
Outdoor Power Equipment:		
A3611, A3812, A3912, A3916, A4012, A4518, A4618, 1260, 1261, 1268, 1278, 1281, 1282, 1284, 1288, 1291, 1292, 1294, 3188, 3189, 5180, 5181, 5184, 5188, 5283, 5285, 5288, 5289, 5293, 5296, 5297	8C-3636 ¥	---
Tractors:		
11/30, 12.5/40, 14.5/40, 18/43, 8 Hp Rider	8C-3636	---
E.T. RUGG CO.		
5049-E2, 5049-E4, 5069-E, 5088-E, 5089-E	8C-3636	---
ECONOMY TRACTOR (See Engineering Products Company)		
ENCORE		
Riders:		
48B 350, 60B 350, 48B 450, 60B 450	3T-5859	9X-1384
42B 350Z, 48B 450Z, 242, -48, -52, -34	8C-3636 ¥	---
36K 250, 48K 250, 48B 450, 48B 350, 60B 350, 48B 450	3T-5859	9X-1384
Walk-Behinds:		
32B 100, 32K 100, 36K 100, 36K 200, 36K 250, 48K 200, 52K 200	8C-3636	---
48K 250 WT, 48B 350 WT, 48B 450 WT, 52B 300, 52B 350, 52B 450, 52K 200, 600B 450	8C-3636 ¥	---
Prowler:		
FC 52", FC 61", MC 61", MC 72"	8C-3636	---
Sit Down, Front Cut:		
Prowler Pro 52, 61	8C-3636	---
Prowler Pro 72	3T-5859	9X-1384
ENGINEERING PRODUCTS COMPANY (Economy Tractor)		
Jim Dundy	8C-3636 §	---
Power King	3T-5859 ∞	9X-1384 ∞
PK1212	8C-3636	---
EXCEL		
2500 Compact	8C-3636	---
Tractors:		
250, 251, 251K, 260K, 261, 262	8C-3636	---
275, 285, 295, 305D, 320, 340, 400, 440	3T-5858	9X-1382
4100-4500 Series, 420 Hustler, 4420 Hustler	3T-5858	9X-1382
EXMARK (Commercial)		
Turf Tracer Hydro & Explorer, Lazer Z, Turf Ranger	8C-3636	---
Commercial 60, Explorer 1800, Turf Ranger 1800, Turf Tracer 1800, Walk Behinds	8C-3636	---

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
FERRIS		
Pro Cut 19, 22, 32, 61, ProCut Z, ProCut 20, 30 Pro Drive 72, Hydro Walk Dual Drive, CTR	8C-3636	---
Commercial 52	8C-3636 §	---
Hydrowalk SD and DD, Criterion 320, 420, 430, Ultra GD	8C-3636 ¥	---
G1418, G1818, G1820, H1618, H1818, H2020	8C-3636	---
1000Z, IS 3000Z, IS 4000Z	8C-3600	145-4517
IS1000Z, IS3000Z, IS3000ZF	8C-3636	---
IS4000Z, IS5000Z	175-4280	---
FLOW-MOW MOWER COMPANY		
JetX 26	3T-5859 ∞	9X-1384 ∞
JetX 2668	8C-3636	---
FMC CORP. See Bolens		
FORD MOTOR COMPANY		
LGT100, LGT120, LGT125, LGT145, LGT165, L775, RMT66	8C-3636	---
70, 75, 80, 100, 120	8C-3636	---
GARDEN PRO See Poloran Products		
GARDEN WAY MFG. COMPANY (Troy Built)		
Horse, "Troy Built" Rototiller, 12hp, 14hp	8C-3636	---
Pony	N.A.	---
GENERAL APPLIANCE MFG. COMPANY		
All Electric Starters	8C-3636	---
GENERAL POWER (Lawn Chief, Tru-Test, Wheeler)		
WES725, WES725-FS, 3-725-E7, 3-725-E8, 3-725-E9	N.A.	---
GIANT-VAC		
Pro Series, Truck Loader, Vac	8C-3600	---
GILSON BROTHERS COMPANY		
GT14, GT14E, GT14HE, GT18E, GT18HE, RE8e, RE11e, RE12e, YT11E, YT11HE, YT12E, YT12.5, YT16, YT16E, YT16HE, 8/28, 11/38, 12/38, 53037	8C-3636	---
810, 812, 818, 855, 865, 52015, 52033	N.A.	---
52080, 52081, 52082, 52083, 52084	8C-3636	---
53018, 53019, 53021, 53023, 53024, 53025, 53026, 53027, 53028, 53073, 53074	3T-5859	9X-1384
GRASS HOPPER (Moridge Mfg., Inc.)		
All 700 Series w/ air cooling, All 600 & 900 Series, 800 Series	8C-3636	---
All 700 Series w/ liquid cooling, 800 Series	7X-6100 π	---
411, 1200, 1212 Series, 1600, 225, 618, 725K	8C-3636	---
428D, 725, 932	7X-6100	---

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

LAWN & GARDEN/SMALL ENGINE
GRAVELY CORPORATION — INGERSOL



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
GRAVELY CORPORATION		
Outdoor Power Equipment:		
Commercial 10, Commercial 12, Convertible Super, 812, 816, 816S	3T-5859	9X-1384
Professional 8	8C-3636 \$	—
Professional 10, 10QS, 12, 12-G, 12QS, 16, 16-G, 18-G, 20-G, 24-G,	3T-5859	9X-1384
Pro 60	8C-3638	—
12-G, 20-G, 818, 5260, 5645	3T-5859	9X-1384
18-H, 1132, 1138, 1232-G, 1232-H, 1238-G, 1238-H	8C-3636	—
408	8C-3636 \$	—
ProVac 1050	3T-5859	9X-1384
ProChip 210, 310, 395	3T-5857	9X-1383
Pro Master Series:		
18-G, 20-G, 30-H	3T-5859	9X-1384
50, 60	7X-6100 π	—
200 Series	N.A.	—
100, 200 & 300 Series (ex. 360)	8C-3636 \$	—
360	3T-5859	9X-1384
400 Series	3T-5858	9X-1382
ATM 72	8C-3600	—
PM310, 460, 250Z	8C-3636	—
PM300, 360, 468	3T-5858	9X-1382
PM160Z, 260Z	8C-3636	—
250Z, 260Z Mowers	8C-3636	—
ZT 1842, -2048, -2050, -1740	8C-3636	—
GLT440, 448, 600	8C-3636	—
Skidster 200, 200D	8C-3636	—
ProVac 1050	3T-5859	9X-1384
272Z	ZX-6100	—
GREAT DANE		
GDZ 52 KH, GDZ 51 KH	8C-3636 ¥	—
Super Surfer, Walk Behind, Chariot, Chariot, Jr., Gateway, Scamper, Surfer Line	8C-3636	—
HAHN, INC.		
GT-736E, GT-836, RHE-126, RHE-132	8C-3636	—
IHDE-126, IHDE-130, IHSE-126	8C-3636	—
HEILMAN ENTERPRISES		
8-76, 8-77, 11-76, 11-77, 11-78	8C-3636	—
220, 440, 445, 550, 555	8C-3636	—
HESSTON CORPORATION		
CT-10, H-160, H-200, T-10, T-16H, T-135	3T-5859 ∞	9X-1384 ∞
LT-1034, LT-1242, T-8, YT-14, YT-16, YT-18, 730-OLE	8C-3636	—
RE-8e	N.A.	—
HOMELITE		
CT-10, T-10, T-16H, T-135	3T-5859 ∞	9X-1384 ∞
RE830E, RE1030E, RE1230E	N.A.	—
T-8, 730-OLE, LT-1034, LT-1242, YT-14, YT-16, YT-18	8C-3636 \$	—
EH/HL4400, 180HIE63, LT 1238G, LT 1438G	8C-3636 ¥	—
HONDA		
EMS4000, EMS4500, EX5500 (Generator)	8C-3636 \$	— ²
ES6500 (Generator)	8C-3636 \$	— ²
Harmony 1011, 2013	8C-3636	—
H4013, 4514, 4518, 7020	8C-3636 ¥	—
HTR3009, HT3810, HT3813, HT4213, H3011, H4013, H4514H, H5013, H5518, H4118, H4120	8C-3636	— ³
H6522	3T-5859 ∞	9X-1384 ∞ ²
HRC7018, HRC7020	8C-3636	—

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
HOWARD PRICE		
All riders	153-5656	3T-5857
Hydro Power 180 (req. 2 batts.)	153-5656	3T-5857
Turf Blazer: 530, 727	153-5656	3T-5857
48, 52, 360Z walk-behinds	8C-3636	—
Turf Blazer 360Z, 48, 52, Zero Turn Radius	8C-3636	—
HUFFMAN MFG. COMPANY		
(Huffy)		
All 1974 32" Riders	8C-3636	—
H-270, H-360	N.A.	—
HULL INDUSTRIES		
TC30ER	N.A.	—
HUSQVARNA		
Tractors:		
LR 120, LR 125, LR 110, LRH 125, LTH 140	8C-3636	—
LT 120, LT 130, LTH 120, LTH 130, 145	8C-3636 \$	—
GT 200, GTH 200, GTH 220, YT 140, YT 180, YTH 150, 160, 180, 970 Rider	8C-3636 \$	—
970-12S	N.A.	—
Walk Behinds & Mowers:		
All	8C-3636	—
HUSTLER		
Excel	8C-3636	—
320, 340, 362	153-5656	3T-5857
Short Cut Stand-Behind 1500	8C-3636 \$	—
251K and 260K Riders	8C-3636 ¥	—
2500 Rider (25 Hp Kohler)	8C-3636 \$	—
3000 Series	3T-5858	9X-1382
Hog, Hustler Z, Walk Behind	8C-3636	—
3400	3T-5857	9X-1383
INGERSOL		
Garden Tractors:		
YT112, YT114, YT116, 210, 220, 222, 224, 226, 444, 446, 448, 648, 3010, 3012, 3014, 3016, 3018, 4014, 4016, 4018, 4020, 4116, 6018 (before 1992)	8C-3636	—
1992 and later models, 4118, 4120, 6018, 6018BH, 6020, 6020BH	8C-3636 ¥	—
Tractor Loaders/Backhoes:		
6018, 6018BH, 6020, 6020BH	8C-3636 ¥	—
Front Cut Mowers:		
5012, 5016, 5018, 5018CD, 5020V, 5118D, 5318V, 5320V, 5720V, 5822K, 5818V, 5820V, 5822K	8C-3636 ¥	—
Riding Mowers:		
80XC, 80XE, 80XI, 80XM, 808, 810	N.A.	—
Yard Tractors:		
108, 110, 111, 112, 112B, 114, 114B, 116, 116B	8C-3636	—
1212G, 1212H	8C-3636	—
1214, 2012, 2014	8C-3636 ¥	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

L & G / SMALL ENGINE

LAWN & GARDEN/SMALL ENGINE INTERNATIONAL HARVESTER — MAGNUM

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
INTERNATIONAL HARVESTER		
Cub Cadet without Electric Start	N.A.	—
Cub Cadet 70, 71, 72, 73, 86, 100, 102, 104, 105, 106, 107, 108, 109, 122, 123, 124, 125, 126, 127, 128, 129, 147, 149, 169, 482, 582, 682, 782, 800, 982, 1000, 1100, 1200, 1250, 1450, 1650	8C-3636	—
Cub Cadet 76, 80, 81, 111, 182, 282, 382, 482, 502, 602, 702, 800 Riding Mower 55, 60, 75, 85, 85 Special	8C-3636	—
Riding Mower 95 (Electric)	8C-3639	—
782D (Diesel)	8C-3636 Y	—
Cub Garden, All ex. 111, 76, 80, 81, Riding Mower	8C-3636	—
ISEKI		
All models	N.A.	—
ITC TRACTOR		
UC 24 HD	8C-3600	—
UC 25 HD	8C-3600	—
J.C. PENNEY		
931-0079, 931-0087	3T-5859 ∞	9X-1384 ∞
931-2703, 931-2737, 931-5730	8C-3636	—
JACOBSEN MFG. COMPANY		
Chief, Super Chief, 750 Deluxe, 42602, 53034, 53039, 53050, 53082, 53092, 53105	8C-3636	—
Commercial 32-50, Crew Chief, CR50, GT10G, GT12A, GT12G, GT12H, GT14H, GT16G, GT16H, LTX8, LTX11, 5330, 53107, 53146, 53148, 53200, 53215, 53275, 53300, 53330	8C-3636	—
G118, DW220 Diesel	3T-5859	9X-1384
Javelin MK11, 42642, 43020, 43032, 43034, 43037, 43043, RE-80	N.A.	—
KAWASAKI		
Mule 550	N.A.	—
Mule 2500	N.A.	—
KEES		
(Commercial)		
48, 60, ZT Max Rider	8C-3636	—
KIOTI		
LB 1914, LK 2554, LK 3054	3T-5858	9X-1382
DK 35	153-5656	3T-5857
DK 40	127-0826	—
KUBOTA		
Outdoor Power Equipment/Tractors:		
ADT 70S (Tiller)	N.A.	—
AD70 Diesel (Tiller), G2000, G2000S	8C-3636	—
All L Series, All M Series	8C-3601	3E-8925
B20, B1550, B1750, B2150, B4200, B5200, B6200, B7100, T1640	3T-5859 ∞	9X-1384 ∞
B5100, G3200, G4200, G5200, T1700X, T1700HX	8C-3636 §	—
B1700, B2100, B2400, G1800, G1800S, G1900, G1900S, G2000S	—	—
B6100, F150S, F260S, F300S	N.A.	—
B6200HST, B7200, B7200HST, B8200, B8200HST, B9200, B9200HST	153-5656	3T-5857

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
KUBOTA (continued)		
Outdoor Power Equipment/Tractors (continued):		
F2100, F2400	8C-3600	—
F2260, 2560, 3060	8C-3600 Y	—
GF1800 (4 WD), GF1800E	—	—
G2000	—	—
G6200, PX2100	8C-3636	—
LA271	—	—
T1400, T1460, T1560, T1600, T1600H	8C-3636 Y	—
T1460, 1560, 1760	8C-3636 Y	—
Mowers:		
K2260, K2560, K3060	8C-3600	—
BX1800, BX2200	8C-3636	—
BX22	145-4518	8C-3600
G2160, G2460	8C-3636	—
T1570, T1670, T1770, T1870, T1460, T1500, T1860	8C-3636	—
F2260, F2560, F3060	8C-3600	145-4517
T1400, T1700HX, T1700X, T1460, T1560, T1760	8C-3636	—
ZD28	145-4518	8C-3600
LAWN BOY (GILSON)/TORO		
Outdoor Power Equipment:		
GT18H	3T-5859	9X-1384
LT12, LT12H, LT12.5G, RE8e, RE12e	8C-3636	—
7258E, 7259E, 7260E	N.A.	—
9303ES, 9325ES, 9328E, 9328ES, 9329ES, 9365ES, 9368E, 9368ES, 9369ES	8C-3636	—
9329ES, 9369ES (prior to 1975)	8C-3636 §	—
Lawn & Garden Tractors/Rear Engine Riding Mowers:		
52138 12Hp, 52142 11Hp, 52149 Hydro 12Hp, 52161 Hydro 12.5Hp, 52144 8Hp, 52145 12Hp	8C-3636	—
53084 18Hp, 52164 16Hp	3T-5859	9X-1384
Yard Tractors:		
52140 16Hp, 52153 12.5 Hp, 52163 14Hp	8C-3636	—
YT-16	8C-3636	—
333, 335, 5802, 5803, 7258E, 7259E, 7260E, 8227E, 8228E, 8229E, 8229EA, 8233E	N.A.	—
LAWN CHIEF		
See General Power		
LESCO		
Commercial Hydro 52" walk-behind, 52 Commercial Zero Turn Radius Rider		
LCR 2200 Tractor	153-5656	3T-5857
030248, 030252, 024952	8C-3636	—
52 ZTR	8C-3636	—
LCR 200 Tractor	153-5656	3T-5857
Viper	8C-3636	—
LOCKE-DEVERE		
3, 5, 6, 8, 10, 12, 21, 22, 23	3T-5859 ∞	9X-1384 ∞
MAGNUM		
MF-7, MF-8 electric, MF-8 Hydra-spd, MF-10, MF-12	8C-3636	—
MF-10, MF-10S/N, MF-12, MF-12S/N, 506, 781-MF and up, 834, 953-M4, 1446	3T-5859 ∞	9X-1384 ∞
MF85, MF1200, MF1450, MF1650, MF1655, MF1855	3T-5859	9X-1384
MF-14, MF-16	153-5656	3T-5857

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

LAWN & GARDEN/SMALL ENGINE

MASSEY-FERGUSON, INC. — POLORAN PRODUCTS



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
MASSEY-FERGUSON, INC.		
Outdoor Power Equipment:		
MF6 Electric, MF832 Electric	N.A.	—
MF-7, MF-8 Electric, MF-8 Hydra-Spd, MF10, MF12	8C-3636 §	—
MF-10, MF10S/N, MF-12, MF12S/N, 506, 781-M4 & up, 834, 953-M4, 1446	3T-5859 ∞	9X-1384 ∞
MF14, MF16	153-5656	3T-5857
MF85, MF1200, MF1450, MF1650, MF1655, MF1855	3T-5859	9X-1384
Compact Tractors:		
MF-205, MF-210, MF-220, MF-1020, MF-1030, MF-1040	153-5656	3T-5857
MF-1010	3T-5858	—
Tractors/Mowers:		
2316H, 2409G, 2412H	8C-3636	—
2512G, 2512GT, 2512H, 2614H, 2616C, 2615H, 2616H, 2718H, 2515H, 2517H, 2615HC	8C-3636 ¥	—
2514G, 2411G, 2413H	8C-3636	—
2514H, 2516H, 2515G	8C-3636	—
2818H, 2818 PS, 2918H, 2920H, 2723H	3T-5859	9X-1384
2618H, 2717H, 2718H, 2720H, 2716H	8C-3636	—
Zero Turn Mowers:		
ZT14H, 16H, 18H, ZT16, ZT1850	8C-3636	—
MAXIM		
All models	8C-3636	—
MCDONOUGH POWER EQUIPMENT, INC.		
2652S, 3081S, 25083, 25083S	8C-3636	—
2681S, 2810WS, 2880WS, 3010WS, 3081ES, 4210WS, 25062S, 26062S, 33113S	8C-3636 §	—
MINNEAPOLIS-MOLINE		
All models	8C-3636	—
MITSUBISHI		
D1500, D2000, D2300, D2350, D2600, D2650, D3250, M1301	N.A.	—
S630, ST1500, ST1510, ST1520, ST1550, ST2001, ST2300	N.A.	—
MT160D, MT180, MT180HMD	3T-5859 ∞	9X-1384 ∞
MT180D (1989)	3T-5859	9X-1384
MT210, MT250	153-5656	3T-5857
MT250D	153-5656	3T-5857
MONTGOMERY WARDS		
99 & Under Series	N.A.	—
1300-1400 Series	8C-3636	—
33000	3T-5859 ∞	9X-1384 ∞
MORIDGE MFG., INC.		
See Grass Hopper		
MOWETT SALES		
(Mustang)		
All Electric Start, 248E Mustang	8C-3636	—

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
MTD PRODUCTS		
385, 395, 465, 485, 497, 525, 760, (prior to 1980)	8C-3636	—
385, 395, 465, 485, 497, 525, 760, (1980 & after)	N.A.	—
410, 412, 466, 489, 500, 526, 600 (single-cylinder), 698	N.A.	—
435, 445, 495, 632, 642, 660, 672, 682	8C-3636	—
600 (dual-cylinder), 775, 795, 796, 812, 852, (1989 & after)	N.A.	—
775, 795, 796, (prior to 1989)	N.A.	—
812, 852, (prior to 1989)	8C-3636	—
960, 990	3T-5859 ∞	9X-1384 ∞
G695G, M660G, Q665H, S825H, B560B, E451F, H661F, L450C	8C-3636 ¥	—
L660F	8C-3636	—
MMZ2254, MMZ2560, 1748F	8C-3636	—
MURRAY, INC.		
Outdoor Power Equipment:		
All Electric Start, 5-31704, 5-36506, 5-36508, 5-36523, 5-36528, 5-38205, 5-38206, 5-39004, 5-40700, 5-40701, 3613, 3623, 3633, 3653, 3656, 3662, 3666, 3667, 3697, 4169, 4297	8C-3636	—
6-30502, 6-30502X4, 6-30702, 6-30702X4, 7-30502, 2523, 3033, 3035	N.A.	—
12/38, 12/40, 14/40, 14/46, 18/42 (4 & 5 speed), 31515, 36502, 36519, 36534, 36557, 36560, 38219, 40713	8C-3636	—
4166, 4266	8C-3636 §	—
35500, 38204, 38205, 38206, 38211, 38219, 39044 (after 1984), 40700, 40708	8C-3636 §	—
38500, 40530, 42560, 46560, 48560	8C-3636	—
46379, 52370	8C-3636	—
30545, 20705 X6, 20705 X92	8C-3636	—
1996 Riders:		
10 Hp/30" & 12 Hp/38"	8C-3636	—
1996 Tractors:		
12 Hp/38", 12.5 Hp/40", 14.5 Hp/42", 16 Hp/42", 16 Hp/46", 18 Hp/46", 18Hp/46" GT, 18 Hp/46" LTX, 18.5 Hp/46" GT	8C-3636	—
MUSTANG		
See Mowett		
NOMA		
(Division of Murray, Inc.)		
GTI-1646, GTX-1846, LT-1239, LX-1240, LXI-1340, LXI-1440, LXI-1646	8C-3636	—
36010, 321050 thru 321054, 328000 thru 328018, 360100	N.A.	—
Command 18 Hp/43", 1643P, 1846P, 2046P	8C-3636	—
19 Hp/46" Automatic Drive, GT 18 Hp/46", GT 18Hp/43", 14543 & 14450 Signature Premier, 14.5 Hp/40" & 43", 15Hp/43", 16Hp/43"	8C-3636	—
OUTDOOR POWER EQUIPMENT		
(FMC Corp.) - See Bolens		
POLORAN PRODUCTS		
(Garden Pro)		
5500M, 5501M, 10033J	N.A.	—
6502M, 6503M, 6504M	8C-3636 §	—
8902B, 8903B, 8904B, 8905B, 9902M, 9903M, 9904M, 9905M	8C-3636	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

L & G / SMALL ENGINE

LAWN & GARDEN/SMALL ENGINE POULAN — SIMPLICITY MFG. COMPANY

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
POULAN		
Tractors:		
All models (ex. below)	8C-3636	---
PP125H38, PP14542, PP15H42, PP1844, PP2050, PP155H42	8C-3636 §	---
PP1536, 1388, 1846A, 22H50, 16H42, PP11536	8C-3636 §	---
POWER KING		
Outdoor Power Equipment:		
1212, 1214	8C-3636	---
1218, 1614, 1617, 1618, 1620, 2414, 2417, 2418	3T-5859	9X-1384
Tractors:		
1218 HV, 1618 GV, 1620GV, 1620 HV, 1622HV, UT620 HV, UT622 HV	3T-5859 ∞	9X-1384 ∞
1220HV	8C-3636 ¥	---
RALLY		
All models	8C-3636 §	---
RAM POWER EQUIPMENT		
Chippers:		
13/24, 16/24, 20/30	8C-3636	---
30/25H, 30/25DH, 30/50DH	8C-3636	---
Stumpers:		
13/PT, 20/PT, 20SPH	8C-3636	---
RANSOMES		
Bobcat Walk-behind, T3100 rider	8C-3636	---
Bobcat ZT 2000	8C-3636 ¥	---
Cushman Groom Master	3T-5858	9X-1382
723D	8C-3600	---
951D	153-5656	3T-5857
FM74-S, T22DV, T28WCG	3T-5859	9X-1384
T-16K, T-1861	8C-3636	---
RICH MFG.		
Zero Turn Walk-Behind/Riders:		
WR-1700, 2000, 2500	8C-3636 ¥	---
ROOF MFG. COMPANY		
93071, 492683, 493081	8C-3636	---
ROOT MFG. COMPANY		
MR-8, NE-8	3T-5859 ∞	9X-1384 ∞
30-N7-3, 30-N8-E, 830E	8C-3636 §	---
ROPER SALES CORPORATION		
K522, K852, L722, L72256R, 96941, 962927	N.A.	---
L063, T863	8C-3636	---
T022, T322, T323, T622, T632, T633, T822	8C-3636 §	---
10HP-18HP	8C-3636	---
K9224AR, K922PRA, K9324AR, K932PRA, L8000AT	N.A.	---
ROPER/RALLY		
10HP, 11HP, 12HP, 14HP, 16HP, 18HP	8C-3636	---

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
SABRE		
(by John Deere)		
Garden Tractors: All	8C-3636	---
SCAG POWER EQUIPMENT		
ST-Series	8C-3636	---
STG-Series	8C-3636	---
STH-13KA, STH-13KH, STH-14BV, STH-14KH, STH-18KH, STH-20KH, STHM-20KH, SW-18KHE, SW-20KHE, SWZ-20KHE, STZ52-20KH, STHM-18KH	8C-3636	---
SCOTTS		
(by Murray)		
Garden Tractors:		
42531X8, 42561X8, 42562X8, 46561X8, 50563X8, 50560X8	8C-3636	---
S1642, S1742, S2046, S2048, S2554	8C-3636	---
SEARS, ROEBUCK & COMPANY		
All Compact, Custom, Suburban, SS, ST (1966-1975) Tractors	8C-3636 §	---
Hydro-Trac Tractors (1966-72)	8C-3636 §	---
K8327AR; 8-2525; 8-2526; 8-3025; 8-3026; 8-3625; 502.256050, -051, -060, -061, -062, -063, -070, -071, -080, -081, -120, -126, -130, -131, -132, -134, -136A, 138; 917.255260, -270, -271, -272, -273, -330, -340; 25523; 25526; 25527; 255113; 255120; 255212; 255221; 255223; 255232; 881400; 881700	N.A.	---
Lawn Tractors 502.25538; 502.25565, -66; 520.25800, -810, -830; Pre 1966 Suburban Tractors	8C-3636	---
Lawn Tractors 917; 2577; 25700, -01; 25710; 25760; 25780-1	8C-3636 §	---
131.96927, -941, -970, -9310; 536.250820, -821, -822, -823, -870, -920, -921, -922; 536.255110, -112, -113, -212, -220, -221, -230, -231, -232, -240, -250; 536.657020, -040, -060, -080; 536.658080; 536.963100; 917.250740; 917.255120, -121; 917.259180, -320	N.A.	---
502.23365, -66; 502.25617, -618, -619; 917.25424, -431, -432, -434, -435, -474, -541, -558, -582; 917.2561321	8C-3636 §	---
502.256135, -136, -137, -140, -141, -142	N.A.	---
502.2561321, -128, -575, -576; 917.25700; 917.25701	8C-3636	---
255240; 255250	N.A.	---
SIMPLICITY MFG. COMPANY		
Lawn & Garden Tractors/Mowers:		
Rear Rider	N.A.	---
Sun Star 8000 Series	3T-5859	9X-1384
Sun Star 20H, 18H	3T-5859	9X-1384
Sovereign 18H, 18PS	3T-5859	9X-1384
Broadmoor 14H, 14VH, 15G, 15H, 16H, 18H, 16HV Landlord 18H, 16G, 16H, Regent 12G, 12H	8C-3636 ¥	---
Regent 14G, 16G, 14H, 16H, 15H, 17H, 500, 2500	8C-3636	---
Coronet 11G, Front Cut 16H	8C-3636	---
Coronet 9G, 12G, 12H, 13H, Hydrostatic 16H, 14H	8C-3636	---
12FCA, 16CFC, 16FCH, 16GTH, 17GTH, 18CFC, 3105, 3108H, 3110, 3110E, 4208G, 4211G, 4211H, 4212, 5211G, 5212.5, 5216G, 5216H, 6211, 6216	8C-3636	---
525, 535	N.A.	---
725	8C-3636 §	---
3008, 3008-3, 990775	N.A.	---
4080, 4111, 5008, 6008, 6011, 990780	8C-3636 §	---
5010, 7010, 7012, 7013, 7014, 7016, 7016H, 7016M, 990755, 990756, 990757, 990758, 990759	3T-5859 ∞	9X-1384 ∞
7790	153-5656	3T-5857

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

LAWN & GARDEN/SMALL ENGINE SIMPLICITY MFG. COMPANY — TURFMASTER



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
Simplicity Mfg. Company (continued)		
9020	7X-6100 π	—
41000 Series	8C-3636 §	—
Broadmoor 1600, 2600	8C-3636	—
Command 20, 25	3T-5859	9X-1384
Conquest 1700, 2700	8C-3636	—
Coronet 400, 2400	8C-3636	—
DM95D Series	3T-5859	9X-1384
FD620 Series	3T-5859	9X-1384
Express 14.5G, 15.5H, 17H	8C-3636	—
ZT14H, 16H, 18H	8C-3636	—
Landlord 16H, 17H, 18H, 20H, 23H	8C-3636	—
Chipper Vacuums:		
8/25SE	8C-3636	—
SNAPPER		
(Comet)		
Mowers:		
Great Dane rider	7X-6100 π	—
LT-11, LT-12, LT-12D, LT-16, 1233, Z1801K	8C-3636	—
214XIPS, 2140IPS, 2140IS (walk mowers)	N.A.	—
Lawn & Garden Tractors:		
265XS, 266XS, 267XS, 268XS, 306RAS, 306XS, 307XS, 308XS, 350XS, 417XS, 418RS, 418XS, 2650S, 2680S, 2681S, 2810WS, 2880WS, 3010WS, 3080S, 3081S, 3081WS, 3652S, 4210WS, 25062S, 25063S, 25064S, 25083, 25083S, 25084S, 26062S, 26063S, 26064S, 26083S, 26084S, 28083S, 28084S, 28114S, 30083S, 30084S, 30114S, 33113S, 33114S, 42113S	8C-3636 §	—
LT-145H33, LT-145H38, LT-150H38, LT-160H42, LT-180H48	8C-3636	—
MZM2300, ZM2501, ZMT2500	8C-3636	—
ZF2501	8C-3636	—
YZ145332, YZ14538, HZS15422, YZ145333, HZS15423, HZS18483	8C-3636	—
SPEEDEX TRACTOR COMPANY		
S-17, S-18, S-19, S-24, 820, 840, 1020, 1030, 1320, 1330, 1632	8C-3636	—
1240, 1240M, 1640, 1640M, 1722, 1732, 1822	8C-3636	—
SPIRIT		
Q-Drive Riders:		
1136Q, 1236Q, 1442Q, 1650Q	8C-3636 §	—
Hydrostatic Drive Riders:		
1650H, 1850H, 1860H	8C-3636 §	—
SPIRIT II		
Lawn Sport:		
14LS, 16LS, 18LS	8C-3636 ¥	—
Lawn Pro:		
14H, 16H, 18H, 20H	8C-3636 ¥	—
STEINER		
Tractors: 220, 410, 430, 430 Max, 525, 230	8C-3600	—
All other models	3T-5859	9X-1384
ZTM202, ZTM325	8C-3636	—
SWISH-ERR		
Three Wheel Tractors:		
AZV-6, AZ2/AZV, A12V8S/AZV-12V-8S	8C-3636	—
Front Mower Riders:		
1642H, 1650H, 1850H, 2060H	8C-3636 ¥	—
18Hp/32"	N.A.	—
T-60	8C-3636	—

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
SYCAMORE MFG. COMPANY		
732E	8C-3636	—
TORO MFG. COMPANY		
Outdoor Power Equipment:		
Big Red, CT-7, LT-6, LT-7, LT-7E, Pro Line 620Z, 724Z Riders, ProLine 37, 52, 62 Walk-Behinds, 940, 55150, 55151, 55152, 56044	8C-3636	—
Front Runner	3T-5859 ∞	9X-1384 ∞
Ground Master 52, Ground Master 220	3T-5859	9X-1384
Ground Master 200 & 300 Series	8C-3600	—
Ground Master 72	153-5656	3T-5857
Ground Master 117 & 120, TE-10, TE-12, 7-25, 11-32, 11-38, 11-44, 37300, 37351, 57300, 57351, 57356, 57360	8C-3636	—
56027, 56033, 56044	8C-3636	—
12-32XL, 13-38XL, 14-38HXL, 16-44HXL, 265-6, 266-H; 314, 415 & 520 Hydro, 312, 265-8	8C-3636	—
ZRT320, ZRT325, Z222, Z218	8C-3636 ¥	—
16-38HXL, 16-38XL, 17-44HXL	8C-3636	—
312-8, 314-8, 314-H, 315-8, 416-8, 218-52	8C-3636	—
Z200, Z253, Z255, Z280, Z350	8C-3636	—
Riding Mowers:		
1000-L, 220, 120, 8-25, 11-32, 13-32, 21-42	8C-3600	—
Walk Behinds - Gear Drives:		
30167, 30159, 30177, 30182, 30183	8C-3636 ¥	—
Walk Behind - Hydro Drives:		
30187, 30189, 30192	8C-3636 ¥	—
Toro Turf Sweeper (18 Hp Kohler)	153-5656	3T-5857
TORO/WHEEL HORSE		
Tractors:		
265-6, 266-H, 312, 314 Hydro, 415 Hydro, 520 Hydro, 12-32XL, 13-38XL, 14-38HXL, 16-44HXL, 265H	8C-3636	—
210-5, 210-H, 212-5, 212-H, 216-5, 216-H, 310-8, 310-H, 312-8, 312-H, 416-8, 416-H, 520-8, 520-H, 612-Z, 616-Z, 620-Z, 724-Z, 312-8, 314-8	8C-3636	—
1200-HMR, 1600-HMR, 8-25, 8-32, 10-32, 11-32, 12-32, 13-32	8C-3636	—
265-H, 268-H, 270-H	8C-3636	—
518xi, 520Lxi, 520xi, 522xi	8C-3636	—
523Dxi	8C-3600	—
Mowers:		
Z16-44, Z17-44, Z17-52	8C-3636	—
TROY BUILT		
Rototillers:		
Pony	N.A.	—
Horse, Big Red Horse	8C-3636 ¥	—
Tractors:		
12HP, 14HP, 13 & 15 Gear or Hydro, GTX & GTX18	8C-3636	—
16 & 18 Hydro	8C-3636 ¥	—
3000, 13000 Series	8C-3636 ¥	—
GTX, GTX 18	8C-3636	—
TRU-TEST		
WDE-8325, WDE-10365, WE-8325, WE-10365, 2-832E5, 3-83DE-5, 6-1036ES, 7-1036DE-5	8C-3636	—
<i>If model is not listed, refer to General Power.</i>		
TURFMASTER		
12/36, 12/39	8C-3636	—
18/42	8C-3636	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

LAWN & GARDEN/SMALL ENGINE ULTRA — YARD PRO

IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance BEFORE final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances before connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
ULTRA		
(Div. of Murray, Inc.)		
Tractors:		
15.5 Hp/42", 17 Hp/46", 19Hp/46", 20 Hp/46"	8C-3636	—
VECTRAL		
(Div. of Murray, Inc.)		
Riders:		
11.5 Hp/30"	8C-3636	—
Tractors:		
13Hp/40", 15 Hp/42", 16.5 Hp/42"	8C-3636	—
VOELLER, INC.		
SS-7	8C-3636	—
WALKER MOWERS		
All models	8C-3636	—
WESTERN INTERNATIONAL		
320800, 361000, 361100, 361102, 361103, 361104, 361105, 361106, 361107, 361113, 361114, 421101, 456301, 458301, 3208000	N.A.	—
WHEEL HORSE PRODUCTS, INC.		
Riders:		
8-25, 11-32, 13-22, 21-42	8C-3636	—
Tractors:		
12-32XL, 13-38XL, 14-38HXL, 16-44HXL	8C-3636	—
265-6, 266-H, 314 Hydro, 415 Hydro, 520 Hydro, 312	8C-3636	—
265H	8C-3636 Y	—
A50	8C-3636	—
A80, A81, B11, B80, B81, B100, Charger V7 & V8, Commando V7 & V8, Commando 8, C81, Electric Lawn Ranger, Electric Work Horse 700	8C-3636	—
A85, A115, 108-3, 108-5, 111-5	N.A.	—
Charger 10 & 12, C100, C120, C160, Electro 12, GT-14, Raider 10 & 12	3T-5859 ∞	9X-1384 ∞
C101, C121, C141, C161, C161 Twin, D-250, 212-6, 308-8, 310-8, 312-A, 312-8, 314-8, 314-H, 414-8, 416-8, 418-A, 418-8, 420-LSE	8C-3636	—
WHEELER		
See General Power		
WHITE OUTDOOR PRODUCTS		
FR-2, FR-1800, FR-2000C, GT-180, LTG-165, GT-2055, GT-225, LT-14	8C-3636	—
GT-1000, R80, T80, T85, T100, T800	8C-3636	—
GT-1050, GT-1600, GT-1650	3T-5859	9X-1384
FST-16, GT-185, GT-205, LT-125, LT-155, LT-160, LT-165	N.A.	—
WIKOV		
(Wisc. Utility Tractors: Eng.)		
Outdoor Power Equipment:		
5000, 5013, 5032, 5033	115-2422	115-2421
Lawn Mowers:		
2500, 2512, 2515, 2516, 2520, 4320	8C-3636	—

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
WISCONSIN MARINE		
Jaguar 61	3T-5859	9X-1384
T1661	3T-5859 ∞	9X-1384 ∞
WOODS		
(Commercial)		
1250, 1850	8C-3636	—
1860	7X-6100 π	—
Zero Turn Radius:		
6140, 6160, 6180, 6182, 6200, 6210, 6215, 6225, 6250	8C-3636	—
R1540, M2560	8C-3636	—
YAMAHA		
YT3600, YT5700, YT6700, YT6800	8C-3636	—
YANMAR		
Generator		
GT14, YM122, YM140, YM146, YM164, YM180, YM180D, YM187	N.A.	—
YM155, YM165	8C-3636 §	—
YM220	153-5656	3T-5857
YARD MAN, INC.		
Beetle		
LTH-42, 3960, 13518, 13655, 13665, 13675, 13735, 14805	8C-3636	—
999, 1674G, J694H, J844H3260, V694G, X614G, X674G, X694G, 3390, 3400, 3480, 3770, 3810, Y834P, Y844P, X604G	8C-3636	—
W834H, W844H, 3694H, WB04H	8C-3636	—
3420, 3730	N.A.	—
A694F	N.A.	—
D604G, D674G, J844H, D624G	8C-3636	—
R814K, W814H	8C-3636	—
U604G, H604H, A604F	8C-3636	—
U804H, U844H, V804P	8C-3636	—
Y615G	8C-3636	—
YARD PRO		
GTK18, GTV16, LR11, LR12, LT12, YTH12	8C-3636 §	—
YPT 1542, YPT 1846, Weed Eater HDC 14542, HDC 12538	8C-3636 §	—

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**

LAWN & GARDEN/SMALL ENGINE
YAZOO MFG. COMPANY



IMPORTANT NOTE: BATTERIES CAN EXPLODE! Always wear safety glasses AND shield eyes when working around batteries. Always check for proper polarity and sufficient terminal clearance **BEFORE** final installation to avoid dangerous sparks, potential explosion, possible severe personal injury and/or expensive electrical system and/or vehicle/equipment damage. Always check for proper polarity and sufficient clearances **before** connecting cables and closing hood or covers.

MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2	MAKE/EQUIPMENT TYPE/MODEL	OPTION 1	OPTION 2
YAZOO MFG. COMPANY					
Outdoor Power Equipment:					
Eagle V-27.5 HP Diesel	153-5656	3T-5857			
YHR16B, YHR18.5W, YHR23K, YR36, YR42, YR48, YR60, YR76	3T-5859	9X-1384			
YR308BE, YR3012BE	8C-3636	---			
Riders:					
YR30, YZTK20	8C-3636	---			
YTBS-D265, YTKC25	N.A.	---			
YTKC22, YTBSV18	8C-3600	---			
ZKW 42170, 48170, 52222, 52252, 61252	8C-3636	---			
Walk Behinds:					
YHRK20, YHRLK20 & 23, YHRK230 YHRLD25 & 212, YTK25, YTCK22	N.A.	---			
Zipper:					
TS-14, -18, -20, -22	8C-3636	---			
TS-2093, -2293, -950-D, -950-G					

Lawn & Garden/Small Engine Replacement Footnote Codes:

- π Replacement battery is longer than O.E. Hold-down and/or tray replacement may be necessary.
- ∞ Replacement battery is wider than O.E. Hold-down and/or tray replacement may be necessary.
- ¥ Check O.E. CCA requirements. **Replacement CCA may not be sufficient.**
- § O.E. battery has reverse terminals. **WATCH POLARITY!** Cable replacement may be necessary.
- N.A. Requires motorcycle type battery.

- ² Can be used as a possible alternative to original equipment battery.
- ³ Can be used as a possible alternative to original equipment battery with 885L adapter.
- ⁴ Some models were supplied with manifold vented battery.

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the state of California to cause cancer and reproductive harm. **Wash hands after handling.**